



FITNESS EQUIPMENT

03

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://ironmaster.nt-rt.ru/> || iem@nt-rt.ru



I-Master

Contents

03

**MAGNETIC BIKE &
ROWING MACHINE &
SPINNING BIKE**

P03-69



70

**MOTORIZED TREADMILL &
HOUSEHOLD INVERSION TABLE &
ROWING MACHINE**

P70-86



87

**MINI STEPPER &
VIBRATION PLATE &
CHIN UP BAR &
INDOOR PARALLEL BARS**

P87-97



98

**BOXING STAND &
SIT-UP BENCH**

P98-110



111

**WEIGHT BENCH &
WEIGHT SLED**

P111-116



117

**POWER RACK &
HOME GYM**

P117-136





COMPUTER INSTRUCTIONS

FUNCTION IDENTIFICATION
LED SIZE: 131×67MM



- **TIME**
- **PULSE**
- **SPEED**
- **RPM**
- **WATT**
- **LOAD**
- **DISTANCE**
- **CALORIES**

PROGRAM CHAT



- | | | | |
|---------------------------|--|-----------------------|-------------------------|
| A TIME DISPLAY | E CALORIES DISPLAY | I PROGRAM CHAT | M UP KNOB |
| B LCD DISPLAY | F SPEED DISPLAY & RPM DISPLAY | J BODY FAT KEY | N RESET KEY |
| C PULSE DISPLAY | G WATT DISPLAY & LOAD DISPLAY | K RECOVERY KEY | O START/STOP KEY |
| D DISTANCE DISPLAY | H USER PROGRAM & H.R.C. DISPLAY | L DOWN KNOB | P MODE KEY |

MAGNETIC UPRIGHT BIKE



IREB1904M1

IREB1904PM1

IREB1904GM1



MAGNETIC RESISTANCE

Stable resistance ensures low noise during cycling



ADJUSTABLE HANDLE

Adjustable handle bar meets the need of different users



EIGHT LEVELS OF RESISTANCE

Different Resistance ensures the different training intensity



ANTI SLIP END CAPS

Ensure more safety and stability during riding



ADJUSTABLE SADDLE

Can be adjustable horizontally and vertically



ANTI SLIP PEDAL

Safe and anti-slip

Device Parameters

	Main Tube	80x40x2mm
	Assembly Size	1010x530x1335mm
	Resistance	M1: 8 levels manual control PM1&GM1:32 levels programmable magnetic control
	Driving	Belt
	Console Size	268x201x38mm
	LCD Size	131x67mm
	Function	Scan, time,speed,distance,pulse calorie,rpm,watt
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	7kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	9/16" horiz
	Seat	PU Horizontal+Vertical adjustment
	Max User Weight	120kg
	Carton Size	970x280x660mm
	N.W./G.W.	31.4/34.7kg
	20'/40'/40'HQ	151/312/368 PCS


MAGNETIC ELLIPTICAL BIKE



IREB1905M1

IREB1905PM1





MAGNETIC RESISTANCE

Stable resistance ensures low noise during cycling



EIGHT LEVEL OF RESISTANCE

Different resistance ensure the different training intensity



WIDE STRIDE

Exercise safely and freely



INTEGRATED DESIGN

Ensure that the connect is always on the same line during the exercise to protect the knees better



ANTI SLIP END CAPS

Ensure more safety and stability during riding



ANTI SLIP PEDAL

Safe and anti-slip

Device Parameters

	Main Tube	40x80x2mm
	Assembly Size	1460x710x1710mm
	Resistance	M1: 8 levels manual control PM1:32 levels programmable magnetic control
	Driving	Belt
	Console Size	268x201x38mm
	LCD Size	131x67mm
	Function	Scan, time,speed,distance,pulse, calorie,rpm,watt
	Pulse	Hand pulse
	Stride Length	R190mmX2
	Flywheel	7kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	N/A
	Pedal Size	450x185x78mm
	Seat	N/A
	Max User Weight	120kg
	Carton Size	1200x420x670mm
	N.W./G.W.	49.3/55kg
	20'/40'/40'HQ	66/144/171 PCS

MAGNETIC RECUMBENT BIKE



IREB1906M1

IREB1906PM1

IREB1906GM1



MAGNETIC RESISTANCE

Stable resistance ensures low noise during cycling



ADJUSTABLE SEAT RAIL

Adjust the seat cushion according to yourself to suit your own exercise needs



PULSE HANDLE

Continuously provide you with real time pulse changes



WIDE BACKREST

Stable exercise w/o shaking



THINKENING SEAT

Soft and comfortable, reduce hip pressure



ANTI-SLIP PEDAL

Increase anti slip pattern, safety and anti slip

Device Parameters

	Main Tube	40x80x2mm
	Assembly Size	1580x630x1250mm
	Resistance	M1: 8 levels manual control PM1&GM1:32 levels programmable magnetic control
	Driving	Belt
	Console Size	268x201x38mm
	LCD Size	131x67mm
	Function	Scan, time, speed, distance, pulse, calorie, rpm, watt
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	7kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	9/16"
	Seat	PU Horizontal adjustment
	Max User Weight	120kg
	Carton Size	1520x290x800mm
	N.W./G.W.	56.5/62.2kg
	20'/40'/40'HQ	60/140/180 PCS

MAGNETIC ELLIPTICAL MACHINE (Front flywheel)



IREB1710M2

IREB1710PM2

IREB1710GM2





MAGNETIC RESISTANCE

Stable resistance ensures low noise during cycling



PULSE HANDLES

Continuously provide you with real-time pulse changes



ANTI-DROP DOUBLE TRACK

Smooth and not derailed,tough and durable,making it easier for you



FRONT WHEEL

Smooth and not derailed,tough and durable,making it easier for you



INTEGRATED DESIGN

Ensure that the ling is always on the same line during the exercise to protect the knee better



ANTI SLIP PEDAL

Safe and anti-slip

Device Parameters

	Main Tube	40x80x2mm
	Assembly Size	1800x650x1800mm
	Resistance	M2: 8 levels manual control PM2&GM2: 32 levels; programmable Magnetic control
	Driving	Belt
	Console Size	268x201x38mm
	LCD Size	131x67mm
	Function	Scan, time,speed,distance,pulse, calorie,rpm,watt
	Pulse	Hand pulse
	Stride Length	R254mmX2
	Flywheel	7kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	N/A
	Pedal Size	450x185x78mm
	Seat	N/A
	Max User Weight	120kg
	Carton Size	1605x585x891mm
	N.W./G.W.	75.2/85.6kgs
	20'/40'/40'HQ	22/46/54 PCS





MAF SAFE FAT LOSS

According to the user's physical assessment and age,the pulse creates a suitable exercise mode for the user



GOAL SETTING

Exercise goals can be set according to time,distance and calories burnse




LIVE TRAINING

Different scene training can be selected,such as:run way mode,map mode,real road mode,ect.



PROGRAM MODE

Exercise according to the training made specified by the system



LIGHT COMMERCIAL MAGNETIC UPRIGHT BIKE



IREB6005PM1



MAGNETIC RESISTANCE

Stable resistance ensures low noise during cycling



PULSE HANDLES

Continuously provide you with real-time pulse changes



ADJUSTABLE SADDLE

Can be adjustable horizontally and vertically



PRESS BRAKE SYSTEM

Rotate left and right to adjust the resistance freely, press down to brake



THICKENING SADDLE

Soft and comfortable, reduce hip pressure



ANTI SLIP PEDAL

Safe and anti-slip

Device Parameters

	Main Tube	40x80xδ3mm
	Assembly Size	1010x600x1335mm
	Resistance	manual control 32 levels, programmable magnetic control
	Driving	Belt
	Console Size	10.1"
	TFT Size	10.1"
	Function	Scan, time, speed, distance, pulse, calorie, rpm, watt
	Pulse	Hand pulse
	Stride Length	R170mmX2
	Flywheel	7kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	9/16"
	Seat	PU Horizontal+Vertical adjustment
	Max User Weight	150kg
	Carton Size	1100x460x700mm
	N.W./G.W.	54/60kg
	20'/40'/40'HQ	78/159/182 PCS

LIGHT COMMERCIAL MAGNETIC RECUMBENT BIKE



IREB6006PM1





MAGNETIC RESISTANCE

Stable resistance ensures low noise during cycling



ADJUSTABLE SEAT RAIL

Adjustable seat cushion according to yourself to suit your own exercise needs



PULSE HANDLE

Continuously provide you with real-time pulse changes



WIDE BACKREST

Stable exercise w/o shaking



THICKENING SEAT

Soft and comfortable, reduce hip pressure



ANTI SLIP PEDAL

Safe and anti-slip

Device Parameters


	Main Tube	60x80x2.5mm
	Assembly Size	1660x600x1330mm
	Resistance	manual control 32 levels;programmable magnetic control
	Driving	Belt
	Console Size	10.1"
	TFT Size	10.1"
	Function	Scan, time,speed,distance,pulse, calorie,rpm,watt
	Pulse	Hand pulse
	Stride Length	R170mmX2
	Flywheel	7kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	9/16"
	Seat	PU Horizontal adjustment
	Max User Weight	150kg
	Carton Size	1660x690x970mm
	N.W./G.W.	70/120kg
	20'/40'/40'HQ	24/52/56 PCS

LIGHT COMMERCIAL MAGNETIC ELLIPTICAL MACHINE(Front flywheel)



IREB7007PM1





MAGNETIC RESISTANCE

Stable resistance ensures low noise during cycling



PULSE HANDLE

Continuously provide you with real-time pulse changes



FRONT WHEEL

Smooth and not derailed,tough and durable,making it easier for you



INTEGRATED DESIGN

Ensure that the link is always on the same line during the exercise to protect the knee better



ANTI-DROP DOUBLE TRACK

Smooth and not derailed,tough and durable,making it easier for you



ANTI SLIP PEDAL

Safe and anti-slip

Device Parameters

	Main Tube	40x80x3mm
	Assembly Size	1920x600x1850mm
	Resistance	manual control 32 levels; programmable magnetic control
	Driving	Belt
	Console Size	10.1"
	TFT Size	10.1"
	Function	Scan, time,speed,distance,pulse, calorie,rpm,watt
	Pulse	Hand pulse
	Stride Length	R254mmX2
	Flywheel	7kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	N/A
	Pedal Size	450x185x28mm
	Seat	N/A
	Max User Weight	150kg
	Carton Size	1985x735x880mm
	N.W./G.W.	110/170kg
	20'/40'/40'HQ	16/36/48 PCS

Technical Specifications

MAGNETIC UPRIGHT BIKE



IREB1904M1/PM1/GM1

LIGHT COMMERCIAL
MAGNETIC UPRIGHT BIKE



IREB6005PM1

MAGNETIC ELLIPTICAL BIKE



IREB1905M1/PM1

	Main Tube	30x80x1.5mm	40x80xδ3mm	40x80x2mm
	Assembly Size	1010x530x1335mm	1010x600x1335mm	1460x710x1710mm
	Resistance	M1: 8 levels manual control PM1&GM1:32 levels programmable magnetic control	manual control 32 levels,programmable magnetic control	M1: 8 levels manual control PM1:32 levels programmable magnetic control
	Driving	Belt	Belt	Belt
	Console Size	268x201x38mm	10.1"	268x201x38mm
	LCD Size	131x67mm	10.1"(TFT)	131x67mm
	Function	Scan, time,speed,distance,pulse,calorie,rpm,watt		
	Pulse	Hand pulse	Hand pulse	Hand pulse
	Stride Length	R165mmX2	R170mmX2	R190mmX2
	Flywheel	7kg	7kg	7kg
	Crank Arm	3PCS	3PCS	3PCS
	Hand Grip	Foam	Foam	Foam
	Plastic Cover	HIPS	HIPS	HIPS
	Pedal With Strap	Yes	Yes	N/A
	Pedal Size	9/16"	9/16"	450x185x78mm
	Seat	PU Horizontal+Vertical adjustment	PU Horizontal+Vertical adjustment	N/A
	Max User Weight	120kg	150kg	120kg
	Carton Size	970x280x660mm	1100x460x700mm	1200x420x670mm
	N.W./G.W.	31.4/34.7kg	54/60kg	49.3/55kg
	20'/40'/40'HQ	151/321/368 PCS	78/159/182 PCS	66/144/171 PCS

MAGNETIC
RECUMBENT BIKE



IREB1906M1/PM1/GM1

MAGNETIC RECUMBENT BIKE
(Light commercial)



IREB6006PM1

MAGNETIC ELLIPTICAL MACHINE
(Front flywheel)



IREB1710M2/PM2/GM2

MAGNETIC ELLIPTICAL MACHINE
(Front flywheel)
(Light commercial)



IREB7007PM1

40x80x2mm	60x80x52.5mm	40x80x2mm	40x80x3mm
1580x630x1250mm	1010x600x1335mm	1800x650x1800mm	1920x600x1850mm
M1: 8 levels manual control PM1&GM1:32 levels programmable magnetic control	manual control 32 levels; programmable magnetic control	M2: 8 levels manual control PM2&GM2: 32 levels; programmable magnetic control	manual control 32 levels; programmable magnetic control
Belt	Belt	Belt	Belt
268x201x38mm	10.1"	268x201x38mm	10.1"
131x67mm	10.1"(TFT)	131x67mm	10.1"(TFT)
Scan, time,speed,distance,pulse,calorie,rpm,watt			
Hand pulse	Hand pulse	Hand pulse	Hand pulse
R165mmX2	R170mmX2	R254mmX2	R254mmX2
7kg	7kg	7kg	7kg
3PCS	3PCS	3PCS	3PCS
Foam	Foam	Foam	Foam
HIPS	HIPS	HIPS	HIPS
Yes	Yes	N/A	N/A
9/16"	9/16"	450x185x78mm	450x185x28mm
PU Horizontal adjustment	PU Horizontal+Vertical adjustment	N/A	N/A
120kg	150kg	120kg	150kg
1520x290x800mm	1100x460x700mm	1605x585x891mm	1985x735x880mm
56.5/62.2kg	54/60kg	75.2/85.6kgs	110/170kg
60/140/180 PCS	24/52/56 PCS	22/46/54 PCS	16/36/48 PCS



Self generating



Normal



Normal

IRHXJ5001

Air Skiing Machine

IRHXJ5001J

Air Skiing Machine

IREB6007

Air Bike

	IRHXJ5001	IRHXJ5001J	IREB6007
 Main Tube	δ3 steel	δ3 steel	60x60xδ2mm
 Assembly Size	1300x635x1435mm	1300x635x1435mm	1200x610x1180mm
 Resistance	Air resistance	Air resistance	Air resistance
 Console Size	LCD 115x90mm		
 Function	Time,speed,calorie,distance,rpm		
 Max User Weight	180kg	180kg	180kg
 Carton Size	1280x340x1130mm	1280x340x1130mm	1250x870x375mm
 N.W./G.W.	70/80kg	70/80kg	51/59kg
 20'/40'/40'HQ	32/54/80PCS	32/54/80PCS	40/90/135PCS

MAGNETIC AIR ROWING MACHINE



IRRW6002PM

IRRW1902M1

	IRRW6002PM	IRRW1902M1
 Main Tube	PT40x120xδ2mm	60x120xδ2mm
 Assembly Size	2435x629x1180mm	2435x629x1280mm
 Resistance	Magnetic / Air resistance	Magnetic / Air resistance
 Console Size	LCD 7"	TFT 10.1"
 Function	Time,speed,rate,calorie,distance,rpm	
 Max User Weight	180kg	180kg
 Carton Size	1480x780x490mm	1410x710x1180m
 N.W./G.W.	51.5/61.5kg	85/115kg
 20'/40'/40'HQ	40/88/110PCS	12/24/48PCS

AIR ROWING MACHINE



IRRW6002T



A-Normal



B-Self generating

IRRW6004

IRRW6004
Dynamic graph

	IRRW6002T	IRRW6004A / B
 Main Tube	60x120xδ2mm	80x40xδ2mm
 Assembly Size	2591x537x1134 mm	2630x660x1150mm
 Resistance	Air resistance	Air resistance
 Console Size	TFT 10.1"	LCD 115x90mm
 Function	Scan, time,speed,calorie,distance,pulse	
 Max User Weight	180kg	180kg
 Carton Size	1480x780x490mm	1460x820x490mm / 2220x120x140mm
 N.W./G.W.	49.4/56.1kg	40/50kg
 20'/40'/40'HQ	40/88/110PCS	44/88/110PCS

AIR ROWING MACHINE



	IRRW6002J	IRRW6002	IRRW6007	IRRW6009
 Main Tube	PT40x120xδ2mm	120x60xδ2mm	120x60xδ2mm	120x60xδ2mm
 Assembly Size	2435x629x1180mm	2435x629x1280mm	2435x629x1280mm	2710x620x995mm
 Resistance	Air resistance	Air resistance	Air resistanceX2	Air resistance
 Console Size	LCD 115x90mm			
 Function	Time,speed,rate,calorie,distance,rpm		Scan, time,speed,calorie,distance,pulse	
 Max User Weight	180kg	180kg	180kg	150kg
 Carton Size	1480x780x490mm	148x78x49cm	150x80x80cm	143x40x55cm
 N.W./G.W.	47.8/54.7kg	47.8/54.8kg	58.2/64.2kg	32/35kg
 20'/40'/40'HQ	40/88/110PCS	40/88/110PCS	20/42/63PCS	80/160/160PCS

MAGNETIC CYCLING (Commercial)



IREB1901M5

Device Parameters

	Main Tube	50x75x83mm
	Assembly Size	1610x530x1480mm
	Resistance	Magnetic resistance
	Driving	Belt
	Console Size	260x177x31mm
	Lcd Size	10.1" TFT 屏
	Function	Quick start, cloud training, entertainment (music video browser), live sports, target setting (time distance, calories, power), sports data, distance, calories, heart rate, speed, rotational speed, power, resistance, time
	Stride Length	R170x2mm
	Flywheel	3.5kg
	Crank Arm	3PCS
	Hand Grip	Dipping process
	Pedal With Strap	Yes
	Pedal Size	M18x1.5
	Seat	PU Horizontal+Vertical adjustment
	Max User Weight	180kg
	Carton Size	1280x340x1130mm
	N.W./G.W.	51/59kg
	20'/40'/40'HQ	58/122/122PCS



ADJUSTABLE HANDLE
Vertical Adjustment



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



ANTI SLIP PEDAL
Safe and anti-slip



REMOVABLE WHEEL

MAGNETIC CYCLING (Commercial)

IREB1901M6

Device Parameters

	Main Tube	50x75x83mm
	Assembly Size	1500x530x1280mm
	Resistance	Magnetic resistance
	Driving	Belt
	Console Size	150x73x25mm
	Lcd Size	4.8"
	Function	Speed, resistance, power, progress, heart rate, calories, distance, speed, time, battery power indication, Bluetooth
	Stride Length	R170x2mm
	Flywheel	3.5kg
	Crank Arm	3PCS
	Hand Grip	Dipping process
	Pedal With Strap	Yes
	Pedal Size	M18x1.5
	Seat	PU Horizontal*Vertical adjustment
	Max User Weight	180kg
	Carton Size	1280x340x1130mm
	N.W./G.W.	51/59kg
	20'/40'/40'HQ	58/122/122PCS



ADJUSTABLE HANDLE
Vertical Adjustment



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



ANTI SLIP PEDAL
Safe and anti-slip



REMOVABLE WHEEL

MAGNETIC CYCLING (Commercial)



IREB1907M3

Device Parameters

	Main Tube	50x75x53mm
	Assembly Size	1400x775x1460mm
	Resistance	Magnetic resistance
	Driving	Belt
	Console Size	150x73x25mm
	Lcd Size	4.8"
	Function	Speed, resistance, power, progress, heart rate, calories, distance, speed, time, battery power indication, Bluetooth
	Stride Length	R170x2mm
	Flywheel	3.5kg
	Crank Arm	3PCS
	Hand Grip	Dipping process
	Pedal With Strap	Yes
	Pedal Size	M18x1.5
	Seat	PU Horizontal+Vertical adjustment
	Max User Weight	180kg
	Carton Size	1280x340x1130mm
	N.W./G.W.	51/59kg
	20"/40"/40'HQ	58/100/100PCS



THICKENING TUBE

ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



ANTI SLIP PEDAL
Safe and anti-slip



REMOVABLE WHEEL

MAGNETIC CYCLING (Commercial)

IREB1911M2

Device Parameters

	Main Tube	50x75x83mm
	Assembly Size	1410x650x1700mm
	Resistance	Magnetic resistance
	Driving	Belt
	Console Size	150x73x25mm
	Lcd Size	4.8"
	Function	Speed, resistance, power, progress, heart rate, calories, distance, speed, time, battery power indication, Bluetooth
	Stride Length	R170x2mm
	Flywheel	3.5kg
	Crank Arm	3PCS
	Hand Grip	Dipping process
	Pedal With Strap	Yes
	Pedal Size	390x160x57
	Seat	PU Horizontal*Vertical adjustment
	Max User Weight	180kg
	Carton Size	1200x460x620mm
	N.W./G.W.	75/83kg
	20'/40'/40'HQ	66/141/188PCS



ADJUSTABLE HANDLE
Vertical Adjustment



THICKENING TUBE



ANTI SLIP PEDAL
Safe and anti-slip



REMOVABLE WHEEL



IREB1611E3

Device Parameters

	Main Tube	PT50x100x82mm
	Assembly Size	1150x530x1160mm
	Resistance	-/- tension control / Felt pad resistance
	Driving	Belt
	Stride Length	No
	Flywheel	φ480-18kg
	Crank Arm	3PCS
	Hand Grip	Vinyl dipping
	Hand Bar	φ32x3mm
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	M18
	Seat	PU Horizontal+Vertical adjustment
	Max User Weight	180kg
	Carton Size	1098x250x890mm
	N.W./G.W.	58.4/64kg
	20'/40'/40'HQ	108/222/294PCS



ADJUSTABLE HANDLE
Horizontal+vertical Adjustment



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



ANTI SLIP PEDAL
Safe and anti-slip



REMOVABLE WHEEL

MAGNETIC CYCLING (Commercial)

IREB1611M3

Device Parameters

	Main Tube	PT50x100xδ2mm
	Assembly Size	1150x530x1160mm
	Resistance	+/- tension control / magnetic
	Driving	Belt
	Stride Length	No
	Flywheel	φ408-16kg(AL flywheel)
	Crank Arm	3PCS
	Hand Grip	Vinyl dipping
	Hand Bar	φ32x3mm
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	M18
	Seat	PU Horizontal+Vertical adjustment
	Max User Weight	180kg
	Carton Size	1098x250x890mm
	N.W./G.W.	55/60kg
	20'/40'/40' HQ	108/222/294PCS



ADJUSTABLE HANDLE
Horizontal+vertical Adjustment



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



ANTI SLIP PEDAL
Safe and anti-slip



REMOVABLE WHEEL



IREB1504E5

Device Parameters

	Main Tube	PT40x100xδ1.5mm
	Assembly Size	1235x600x1280mm
	Resistance	4/- tension control / Felt pad resistance
	Driving	Belt
	Stride Length	R165mmX2
	Flywheel	φ450mm/10kg
	Crank Arm	1PCS
	Hand Grip	Foam
	Hand Bar	φ25xδ1.5mm
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	9/16"
	Seat	Horizontal+Vertical adjustment
	Max User Weight	140kg
	Carton Size	1065x255x875mm
	N.W./G.W.	36/41kg
	20'/40'/40"HQ	122/252/300PCS



ADJUSTABLE HANDLE
Horizontal+vertical Adjustment



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



ANTI SLIP PEDAL
Safe and anti-slip



REMOVABLE WHEEL

IREB1504E6

Device Parameters

	Main Tube	PT40x100x51.5mm
	Assembly Size	1235x600x1280mm
	Resistance	*/- tension control / Felt pad resistance
	Driving	Belt
	Function	Scan, time, speed, distance, calorie, pulse
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	φ450mm/10kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	9/16"
	Seat	Horizontal+Vertical adjustment
	Max User Weight	140kg
	Carton Size	1065x255x875mm
	N.W./G.W.	36/41kg
" data-bbox="118 703 138 723"/>	20"/40"/40"HQ	122/252/300PCS



ADJUSTABLE HANDLE
Horizontal+vertical Adjustment



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



METAL CRANK



ANTI SLIP PEDAL
Safe and anti-slip



IREB1504M1

Device Parameters

	Main Tube	PT40x100xδ1.5mm
	Assembly Size	1235x600x1280mm
	Resistance	Magnetic resistance
	Driving	Belt
	Stride Length	R165mmX2
	Flywheel	8kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Hand Bar	φ25xδ1.5mm
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	9/16"
	Seat	Horizontal+Vertical adjustment
	Max User Weight	140kg
	Carton Size	1065x255x875mm
	N.W./G.W.	34/39kg
	20'/40'/40' HQ	122/252/300PCS




ADJUSTABLE HANDLE
Horizontal+vertical Adjustment



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



ANTI SLIP PEDAL
Safe and anti-slip



REMOVABLE WHEEL

IREB1504M2

Device Parameters

	Main Tube	PT40x100x81.5mm
	Assembly Size	1235x600x1280mm
	Resistance	Magnetic resistance
	Driving	Manual control
	Function	Scan, time, speed, distance, calorie, pulse
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	8kg
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	9/16"
	Seat	Horizontal+Vertical adjustment
	Max User Weight	140kg
	Carton Size	1065x255x875mm
	N.W./G.W.	34/39kg
" icon" data-bbox="118 693 138 713"/>	20"/40"/40" HQ	122/252/300PCS



ADJUSTABLE HANDLE
Horizontal+vertical Adjustment



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



ANTI SLIP PEDAL
Safe and anti-slip



REMOVABLE WHEEL



IREB2001M1

Device Parameters

	Main Tube	PT40x80xδ1.5mm
	Assembly Size	1156x505x1135mm
	Resistance	Strong magnetic
	Driving	Belt
	Stride Length	R152mmX2
	Flywheel	8kg
	Crank Arm	1PC
	Hand Grip	Foam
	Hand Bar	φ25xδ1.5mm
	Plastic Cover	HIPS
	Pedal With Strap	With strip and weight
	Pedal Size	9/16"
	Seat	PU Horizontal•Vertical adjustment
	Max User Weight	120kg
	Carton Size	1005x245x920mm
	N.W./G.W.	26/31.5kg
	20'/40'/40'HQ	126/262/286PCS



ADJUSTABLE HANDLE
Horizontal•vertical Adjustment



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



PEDAL•METAL BEARING



REMOVABLE WHEEL

IREB2002M1

Device Parameters

	Main Tube	φ50x82mm
	Assembly Size	1000x570x1210mm
	Resistance	Normal magnetic
	Driving	Belt
	Function	Scan time, speed, calorie, bluetooth distance, odo, rpm, resistance
	Stride Length	R170mmX2
	Flywheel	6kg one-way magnetic flywheel
	Crank Arm	3PCS
	Hand Grip	Rubber and plastic
	Plastic Cover	HIPS
	Pedal With Strap	Al-alloy
	Pedal Size	9/16"
	Seat	PU
	Max User Weight	120kg
	Carton Size	1010x280x810mm
	N.W./G.W.	23.5/27.8kg
" data-bbox="108 668 128 688"/>	20"/40"/40"HQ	116/240/276PCS



ANTISKID HANDLE



ADJUSTABLE SADDLE
Can be adjustable vertically



PEDAL+METAL BEARING



ANTI-SLIP END CAPS

MAGNETIC UPRIGHT BIKE



IREB4001M1

Device Parameters

	Main Tube	PT40x80xδ1.5mm
	Assembly Size	990x500x1265mm
	Resistance	8 levels,Magnetic control
	Driving	Belt
	Console Size	190x140x45mm
	Lcd Size	47x22.5mm
	Function	Time,speed,distance,calorie,pulse
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	4.5kg magnetic flywheel
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	√
	Pedal Size	9/16"
	Seat	PU Horizontal+Vertical adjustment
	Max User Weight	120kg
	Carton Size	941x335x615mm
	N.W./G.W.	27/30kg
	20'/40'/40'HQ	168/352/352PCS



8 LEVEL ADJUSTMENT



ADJUSTABLE SADDLE

Can be adjustable horizontally and vertically



PEDAL+METAL CRANK



ANTI-SLIP END CAPS

IREB4001PM1

Device Parameters

	Main Tube	PT40x80xδ1.5mm
	Assembly Size	990x500x1265mm
	Resistance	24 levels, Programmable magnetic control
	Driving	Belt
	Console Size	190x140x45mm
	Lcd Size	77x40mm
	Function	Time, speed, rpm, distance, calorie, resistance, pulse
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	4.5kg magnetic flywheel
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	✓
	Pedal Size	9/16"
	Seat	PU Horizontal+Vertical adjustment
	Max User Weight	120kg
	Carton Size	941x335x615mm
	N.W./G.W.	27/30kg
	20'/40'/40'HQ	168/352/352PCS



PULSE HANDLE



ADJUSTABLE SADDLE

Can be adjustable horizontally and vertically



PEDAL+METAL CRANK



ANTI-SLIP END CAPS

MAGNETIC RECUMBENT BIKE



IREB4002M1

Device Parameters

	Main Tube	PT40x80xδ1.5mm
	Assembly Size	1560x650x1100mm
	Resistance	8 levels , Magnetic control
	Driving	Belt
	Console Size	190x140x45mm
	LCD Size	47x22.5mm
	Function	Time,speed,distance,calorie,odo,pulse
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	4.5kg magnetic flywheel
	Crank Arm	3PCS crank
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	√
	Pedal Size	9/16"
	Seat	PU
	Max User Weight	120kg
	Carton Size	990x445x677mm
	N.W./G.W.	35.3/38.8kg
	20'/40'/40'HQ	87/177/177PCS



8 LEVEL ADJUSTMENT



ADJUSTABLE SADDLE
Can be adjustable horizontally



PEDAL+METAL CRANK



ANTI-SLIP END CAPS

IREB4002PM1

Device Parameters

	Main Tube	PT40x80xδ1.5mm
	Assembly Size	1560x650x1100mm
	Resistance	24 levels , Programmable magnetic control
	Driving	Belt
	Console Size	190x140x45mm
	LCD Size	77x40mm
	Function	Time,speed,rpm,distance,odo,calorie, resistance,pulse
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	4.5kg magnetic flywheel
	Crank Arm	3PCS crank
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	√
	Pedal Size	9/16"
	Seat	PU
	Max User Weight	120kg
	Carton Size	990x445x677mm
	N.W./G.W.	35.3/38.8kg
	20'/40'/40'HQ	87/177/177PCS



ANTISKID HANDLE



ADJUSTABLE SADDLE
Can be adjustable horizontally



PEDAL+METAL CRANK



ANTI-SLIP END CAPS

MAGNETIC ELLIPTICAL MACHINE

(Rear flywheel)



IREB4003M1

Device Parameters

	Main Tube	PT40x80xδ2mm
	Assembly Size	1425x685x1655mm
	Resistance	8 levels,Magnetic control
	Driving	PJ belt
	Console Size	140x190x45mm
	LCD Size	47x22.5mm
	Function	Time,speed,distance,odo,calorie,pulse
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	4.5kg magnetic flywheel
	Crank Arm	3PCS
	Hand Grip	NBR foam
	Plastic Cover	HIPS
	Pedal With Strap	ABS
	Pedal Size	391x160x57
	Seat	N/A
	Max User Weight	120kg
	Carton Size	1250X490X1655mm
	N.W./G.W.	38/44kg
	20'/40'/40'HQ	57/126/168PCS



PULSE HANDLE



8 LEVEL ADJUSTMENT



ANTI SLIP PEDAL
Safe and anti-slip



ANTI-SLIP END CAPS

MAGNETIC ELLIPTICAL MACHINE (Rear flywheel)

IREB4003PM1

Device Parameters

	Main Tube	PT40x80xδ2mm
	Assembly Size	1425x685x1655mm
	Resistance	24 levels, Programmable magnetic control
	Driving	PJ belt
	Console Size	140x190x45mm
	LCD Size	77x40mm
	Function	Time, speed, distance, calorie, pulse, program(19)
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	4.5kg magnetic flywheel
	Crank Arm	3PCS
	Hand Grip	NBR foam
	Plastic Cover	HIPS
	Pedal With Strap	ABS
	Pedal Size	391x160x57
	Seat	N/A
	Max User Weight	120kg
	Carton Size	1250x490x1655mm
	N.W./G.W.	38/44kg
	20'/40'/40'HQ	57/126/168PCS



PULSE HANDLE



THICKENING TUBE



ANTI SLIP PEDAL
Safe and anti-slip



ANTI-SLIP END CAPS

MAGNETIC ELLIPTICAL MACHINE



IREB7006M1



MAGNETIC RESISTANCE

Stable resistance ensures low noise during cycling



INTEGRATED DESIGN

Ensure that the link is always on the same line during the exercise to protect the knees better



FRONT WHEEL

Smooth and not derailed, tough and durable, making it easier for you



PULSE HANDLE

Continuously provide you with real-time pulse changes



RUBBER RAIL

Smooth and not derailed, tough and durable, making it easier for you



ANTI SLIP PEDAL

Safe and anti-slip

Device Parameters

	Main Tube	50x50xδ2mm
	Assembly Size	1340x600x1700mm
	Resistance	8 levels,Magnetic control
	Driving	Belt
	Console Size	262x202x48mm
	LCD Size	125x57mm
	Function	Scan,time,speed,calorie,pulse,distance,odo,rpm,resistance
	Pulse	Hand pulse
	Stride Length	R170mmX2
	Flywheel	4.5kg magnetic flywheel
	Crank Arm	3PCS
	Hand Grip	Rubber foam
	Plastic Cover	HIPS
	Pedal With Strap	NO
	Pedal Size	450x185x28
	Seat	N/A
	Max User Weight	120kg
	Carton Size	1090x430x643mm
	N.W./G.W.	46/53kg
	20'/40'/40'HQ	78/159/212PCS

MAGNETIC ELLIPTICAL MACHINE



IREB7006PM1



MAGNETIC RESISTANCE

Stable resistance ensures low noise during cycling



INTEGRATED DESIGN

Ensure that the link is always on the same line during the exercise to protect the knees better



FRONT WHEEL

Smooth and not derailed, tough and durable making it easier for you



PULSE HANDLE

Continuously provide you with real-time pulse changes



RUBBER RAIL

Smooth and not derailed, tough and durable making it easier for you



ANTI SLIP PEDAL

Safe and anti-slip

Device Parameters

	Main Tube	50x50x82mm
	Assembly Size	1340x600x1700mm
	Resistance	32 levels , Programmable magnetic control
	Driving	Belt
	Console Size	262x202x48mm
	LCD Size	125x57mm
	Function	Scan,time,speed,calorie, pulse,distance,odo,rpm
	Pulse	Hand pulse
	Stride Length	R170mmX2
	Flywheel	4.5kg magnetic flywheel
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	No
	Pedal Size	450x185x28
	Seat	N/A
	Max User Weight	120kg
	Carton Size	1090x430x643mm
	N.W./G.W.	46/53kg
	20'/40'/40'HQ	78/159/212PCS

MAGNETIC UPRIGHT BIKE



IREB1306M1

Device Parameters

	Main Tube	55x61xδ1.5mm
	Assembly Size	1070x500x1385mm
	Resistance	8 levels, Magnetic control
	Driving	Belt
	Console Size	246x184x43mm
	LCD Size	76x41mm
	Function	Time,speed,calorie,distance,odo,scan,pulse
	Pulse	Hand pulse
	Stride Length	R165mmX2
	Flywheel	6kg magnetic flywheel
	Crank Arm	3PCS
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	9/16"
	Seat	PU
	Max User Weight	120kg
	Carton Size	992x284x562mm
	N.W./G.W.	32/34.5kgs
	20'/40'/40'HQ	102/204/272PCS



ADJUSTABLE SADDLE
Can be adjustable horizontally and vertically



ADJUSTABLE LEVEL
Meet different needs



ANTI-SLIP PEDAL
Safe and anti-slip



ANTI-SLIP END CAP
Safe and anti-slip

IREB1314PM1

Device Parameters

	Main Tube	80x40xδ2mm
	Assembly Size	1480x645x1675mm
	Resistance	32 levels, Programmable magnetic control
	Driving	Belt
	Console Size	271x200x58mm
	LCD Size	59x127mm
	Function	Time,speed,distance,calorie,pulse,program(19)
	Pulse	Hand pulse
	Stride Length	R196mmX2
	Flywheel	6kg magnetic flywheel
	Crank Arm	cross crank
	Hand Grip	Foam
	Plastic Cover	HIPS
	Pedal With Strap	Yes
	Pedal Size	N/A
	Seat	N/A
	Max User Weight	120kg
	Carton Size	1165x500x532mm
	N.W./G.W.	50/56kg
	20'/40'/40'HQ	60/120/160PCS



PULSE HANDLES
Continuously provide you with real-time pulse changes



ADJUSTABLE LEVEL
Meet different needs



ANTI-SLIP PEDAL
Safe and anti-slip



ANTI-SLIP END CAP
Safe and anti-slip

HEAVY MAGNETIC ELLIPTICAL BIKE



IREB0802M



IREB0803M



IREB0804M

	IREB0802M	IREB0803M	IREB0804M
Main Tube	50x100x82mm	50x100x82mm	50x100x82mm
Assembly Size	1505x590x1035mm	1630x600x1720mm	1470x580x1320mm
Resistance	8 levels,Magnetic control	8 levels,Magnetic control	8 levels,Magnetic control
Driving	Belt	Belt	Belt
Console Size	200x287x45mm	200x287x45mm	200x287x45mm
LCD Size	124x47mm	124x47mm	124x47mm
Function	Rpm,speed,time,distance,pulse,calorie		
Pulse		Hand pluse	
Stride Length	R180mmX2	R180mmX2	R180mmX2
Flywheel	6kg	6kg	6kg
Crank Arm	Cross crank	Cross crank	Cross crank
Hand Grip	Foam	Foam	Foam
Hand Bar	φ28xδ1.5mm	φ28xδ2mm	φ32xδ2mm
Plastic Cover	HIPS	HIPS	HIPS
Pedal With Strap	Yes	/	Yes
Pedal Size	9/16"	350x160mm	9/16"
Seat	PU	N/A	PU
Max User Weight	120kg	120kg	120kg
Carton Size	1045x320x670mm	1170x470x790mm	1380x425x680mm
N.W./G.W.	41/46kg	66/75.5kg	70/83kg
20'/40'/40'HQ	114/234/234PCS	44/90/135PCS	63/129/129PCS

IREB1707PM1



IREB1708PM1



IREB1709PM1



IREB1707PM1

IREB1708PM1

IREB1709PM1

	Main Tube	50x100xδ3mm	50x100xδ3mm	50x100xδ3mm
	Assembly Size	1505x590x1035mm	1630x600x1720mm	1470x580x1320mm
	Resistance	32 levels,Programmable magnetic control		
	Driving	Belt	Belt	Belt
	Console Size	240x290x50mm	240x290x50mm	240x290x50mm
	LCD Size	127x58mm	127x58mm	127x58mm
	Function	Time,speed,rpm,distance,odo,calorie,resistance,pulse		
	Pulse		Hand pluse	
	Stride Length	R180mmX2	R180mmX2	R180mmX2
	Flywheel	6kg	6kg	6kg
	Crank Arm	Cross crank	Cross crank	Cross crank
	Hand Grip	Foam	Foam	Foam
	Hand Bar	φ28xδ1.5mm	φ28xδ2mm	φ32xδ2mm
	Plastic Cover	HIPS	HIPS	HIPS
	Pedal With Strap	Yes	/	Yes
	Pedal Size	9/16"	280x114mm	9/16"
	Seat	PU	N/A	PU
	Max User Weight	150kg	150kg	150kg
	Carton Size	1045x320x670mm	1170x470x790mm	1380x425x680mm
	N.W./G.W.	43/48kg	69/79kg	65/70kg
	20'/40'/40'HQ	114/234/234PCS	44/90/135PCS	63/129/129PCS

MAGNETIC UPRIGHT BIKE

IREB1302M1



IREB1302M1

IREB1302M2



IREB1302M2

IREB1302PM1



IREB1302PM1

	Main Tube	30x70xδ2mm	30x70xδ2mm	30x70xδ2mm
	Assembly Size	950x470x1340	950x470x1340	950x470x1340
	Resistance	8 levels,magnetic control	8 levels,magnetic control	16 levels,Programmable magnetic control
	Driving	Belt	Belt	Belt
	Function	Time,speed,distance,calorie,pulse		
	Pulse	Hand pulse	Hand pulse	Hand pulse
	Flywheel	4.5kg	4.5kg	4.5kg
	Crank Arm	1PCS	3PCS	3PCS
	Pedal	Normal pedal with straps and weight		
	Seat	PU	PU	PU
	Max User Weight	120kg	120kg	120kg
	Carton Size	820x260x580mm	820x260x580mm	820x260x580mm
	N.W./G.W.	25.6/29.1kg	25.6/29.1kg	25.6/29.1kg
	20'/40'/40'HQ	232/472/490PCS	232/472/490PCS	232/472/490PCS

MAGNETIC UPRIGHT BIKE

IREB1203M3



IREB1014M



IREB1003M



IREB1203M3

IREB1014M

IREB1003M

	Main Tube	PT40x80xδ2mm	PT40x80xδ1.5mm	φ60xδ2mm
	Assembly Size	940x505x1300mm	840x520x1300mm	988x506x1253mm
	Resistance	8 levels,magnetic control	8 levels,magnetic control	8 levels,magnetic control
	Driving	Belt	Belt	Belt
	Function	Time,speed,calorie,scan,distance,pulse		
	Pulse	Hand pulse	Hand pulse	Hand pulse
	Flywheel	4.5kg	4.5kgs	6kgs
	Crank Arm	3PCS	1PCS	1PCS
	Pedal	Normal pedal with straps and weight		
	Seat	Foaming	Foaming	Foaming
	Max User Weight	120kg	120kg	120kg
	Carton Size	830x230x560mm	675x275x535mm	880x260x580mm
	N.W./G.W.	26.7/29.4kg	22.7/24.3kg	25/28kg
	20'/40'/40'HQ	260/520/560PCS	256/544/580PCS	192/416/416PCS

MAGNETIC UPRIGHT BIKE

IREB0816M3



IREB0806M4



IREB73M4



IREB4007M



	IREB0816M3	IREB0806M4	IREB73M4	IREB4007M
Main Tube	30x60xδ1.5mm	PT40x80xδ1.5mm	30x60xδ1.5mm	50x50xδ1.5mm
Assembly Size	850x470x1200mm	930x520x1270mm	800x470x1250mm	790x550x1150mm
Resistance	8 levels,Manual control	8 levels,magnetic control	8 levels,magnetic control	8 levels,magnetic control
Driving	Belt	Belt	Belt	Belt
Function	Scan,time,speed, distance,calorie,rate	Time,speed,distance, odo,calorie,rate	Time,speed,distance, scan,calorie,rate	Time,speed,distance,pulse scan,calorie,odo
Pulse	Hand pulse	Hand pulse	Hand pulse	Hand pulse
Flywheel	3kg	5kg	3.5kg	4kg
Crank Arm	1PCS	3PCS	1PCS	1PCS
Pedal	Normal pedal with straps and weight			/
Seat	PU	PU	PU	PU
Max User Weight	100kg	120kg	100kg	100kg
Carton Size	640x330x570mm	880x300x550mm	610x225x540mm	670x250x450mm
N.W./G.W.	20/22kg	22.9/26kg	20/22kg	18.5/19.5kg
20'/40'/40'HQ	360/732/828PCS	164/332/372PCS	360/720/780PCS	370/740/860PCS

MECHNECICAL UPRIGHT BIKE

IREB0808M



IREB0808E



IREB0818E



IREB66E



IREB0808M

IREB0808E

IREB0818E

IREB66E

	Main Tube	75x25xδ1.5mm	75x25xδ1.5mm	50x25xδ1.5mm φ38x1.5mm	PT30x60xδ2mm
	Assembly Size	780x500x1200mm	780x550x1200mm	750x460x1080mm	762x523x1167mm
	Resistance	8 levels,magnetic control	8 levels,magnetic control	Manual control	Manual control
	Driving	Belt	Belt	Belt	Belt
	Function	Time,speed,calorie,scan,distance			
	Flywheel	2kg	2.5kg	1.3kg	1.3kg
	Crank Arm	1PCS	1PCS	1PCS	1PCS
	Pedal	Normal pedal with straps and weight			
	Seat	PU	PU	PU	PU
	Max User Weight	100kg	100kg	100kg	100kg
	Carton Size	530x235x530mm	530x235x530mm	600x205x460mm	685x205x500mm
	N.W./G.W.	12/13.5kg	12/13.5kg	12/13.5kg	12/14kg
	20'/40'/40'HQ	448/966/1092PCS	448/966/1092PCS	510/1060/1155PCS	401/821/940PCS

MAGNETIC ELLIPTICAL BIKE



	IREB0807M3	IREB1410M1	IREB1410M3	IREB1410M5
Main Tube	PT40x80xδ1.5mm	φ50xδ1.8mm	φ50xδ1.8mm	φ50xδ1.8mm
Assembly Size	1410x670x1525mm	1174x555x1415mm	1230x555x1428mm	1220x540x1590mm
Resistance	8 levels,magnetic control	8 levels,magnetic control	8 levels,magnetic control	8 levels,magnetic control
Driving	Belt	Belt	Belt	Belt
Function	Time,speed,distance,odo,calorie,pulse	Time,speed,calorie,scan,distance,pulse	Time,speed,calorie,scan,distance,pulse	Time,speed,calorie,scan,distance,pulse
Pulse	Hand pulse	Hand pulse	Hand pulse	Hand pulse
Flywheel	5kg	3.5kg	3.5kg	3.5kg
Crank Arm	No	1PCS	1PCS	1PCS
Pedal	Yes	Yes	Yes	Yes
Seat	N/A	N/A	Yes	Yes
Max User Weight	120kg	100kg	100kg	100kg
Carton Size	1020x410x520mm	890x270x465mm	900x270x475mm	1100x270x475mm
N.W./G.W.	33/37kg	28.9/31kg	30.9/33kg	32.5/35kg
20'/40'/40'HQ	112/232/290PCS	224/456/570PCS	224/456/570PCS	192/384/432PCS

MAGNETIC ELLIPTICAL BIKE

IREB1004M/

IREB1004PM/



IREB0917M3



IREB0817M2



IREB1015M2



IREB1004M IREB1004PM

IREB0917M3

IREB0817M2

IREB1015M2

	Main Tube	φ60xδ2mm	30x60xδ1.5mm	30x60xδ1.5mm	PT40x80xδ2mm
	Assembly Size	1070x600x1550mm	1095x640x1930mm	830x330x470mm	1100x605x1500mm
	Resistance	M:8 levels,magnetic control PM:16 levels,programmable magnetic control	8 levels,magnetic control	8 levels,magnetic control	8 levels,magnetic control
	Driving	Belt	Belt	Belt	Belt
	Function	Time,speed,program,distance,scan,calorie,pulse	Time,speed,calorie,scan,distance,pulse		
	Pulse	Hand pulse	Hand pulse	Hand pulse	Hand pulse
	Flywheel	7kg	3kg	3kg	5kg
	Crank Arm	3PCS	1PCS	1PCS	1PCS
	Pedal	Yes	Yes	Yes	Yes
	Seat	N/A	PU	N/A	N/A
	Max User Weight	120kg	100kg	100kg	100kg
	Carton Size	920x380x520mm	830x330x470mm	830x330x470mm	960x345x450mm
	N.W./G.W.	40/43kg	27/29.5kg	20/22kg	30/34kg
	20'/40'/40'HQ	156/354/403PCS	224/456/480PCS	224/456/480PCS	180/360/380PCS

MAGNETIC ELLIPTICAL BIKE

IREB4010M1



IREB4011M1



IREB4012M1



IREB4010M1

IREB4011M1

IREB4012M1

	Main Tube	ROUND Φ 50	ROUND Φ 50	ROUND Φ 50
	Assembly Size	1000x480x1270mm	1280x500x980mm	1120x510x1620mm
	Brake	Magnetic braking system	Magnetic braking system	Magnetic braking system
	Hand bar	Φ 22 Foam	Φ 22 Foam	Φ 22 Foam / Φ 25 Foam
	Driving	6PJ Belt	6PJ Belt	6PJ Belt
	Function	Time,speed,distance,calorie,pulse	Time,speed,distance,calorie,odo,pulse	Time,speed,distance,calorie,odo,pulse
	Pulse	Hand pulse	Hand pulse	Hand pulse
	Flywheel	4kg magnetic flywheel	4kg magnetic flywheel	5kg magnetic flywheel
	Crank	170 electroplating	170 electroplating	170 electroplating
	Pedal	Plastic pedal	Plastic pedal	Plastic pedal
	Seat	Horizontally and vertically adjustable	Horizontally and vertically adjustable	No
	Max User Weight	120kg	120kg	120kg
	Carton Size	920x230x580mm	1260x250x580mm	1100x285x645mm
	N.W./G.W.	25.5/28kg	30/33kg	32/35kg
	20'/40'/40'HQ	180/520/572PCS	118/336/382PCS	105/297/352PCS

MAGNETIC ELLIPTICAL BIKE



	IREB4013M1	IREB4014M1	IREB4015M1	IREB4016M1
Main Tube	ROUND Φ60	ROUND Φ60	ROUND Φ60	ROUND Φ60
Assembly Size	1100x580x1550mm	1325x610x1020mm	1105x580x1550mm	800x535x1250mm
Brake	Magnetic braking system	Magnetic braking system	Magnetic braking system	Magnetic braking system
Driving	Belt	Belt	Belt	Belt
Function	Time,speed,distance,calorie,pulse			
Pulse	Hand pulse	Hand pulse	Hand pulse	Hand pulse
Flywheel	4kg magnetic flywheel	4kg magnetic flywheel	4kg magnetic flywheel	4kg magnetic flywheel
Pedal	Plastic pedal	Plastic pedal	Plastic pedal	Plastic pedal
Seat	Horizontally and vertically adjustable	Vertically adjustable	N/A	Horizontally and vertically adjustable
Max User Weight	120kg	120kg	120kg	120kg
Carton Size	1040x250x560mm	880x245x550mm	1040x250x560mm	790x245x550mm(connect crank) 79x22x55mm(separated crank)
N.W./G.W.	30/34kg	26.8/30kg	32/38kg	21/32.5kg
20'/40'HQ	236/570PCS	236/570PCS	236/570PCS	320/780PCS

MINI EXERCISE BIKE



	IREB4017M1	IREB4018M1	IREB2033	IREB2034
 Assembly Size	860x470x1170mm	1140x640x1480mm	740x450x900mm	740x445x1010mm
 Resistance	8levels	8levels	/	/
 Flywheel	4kgs	5kgs	/	/
 Max User Weight	120kg	120kg	120kg	120kg
 Carton Size	600x225x560mm	850x250x520mm	720x220x530mm	720x620x220mm
 N.W./G.W.	18/21kg	27/30kg	9.5/11kg	12.5/15kg
 20'/40'/40'HQ	330/680/750PCS	230/490/550PCS	320/660/780PCS	250/520/620PCS

HOUSEHOLD AIR BIKE



IREB2036

IREB2035



IREB6019



IREB6020



IREB6011

	IREB2035	IREB2036	IREB6019	IREB6011	IREB6020
 Assembly Size	860x500x1530mm	860x500x1530mm	1293x592x1299mm	1375x665x1510mm	1220x670x1225mm
 Driving	Chian	Chian	Chian	Air resistance	Chian
 Function	Time,speed,distance,calorie		Time,speed,distance,calorie	Time,speed,calorie,distance,rpm	Time,speed,distance,calorie
 Max User Weight	120kg	120kg	120kg	180kg	180kg
 Carton Size	940x220x645mm	940x220x645mm	1290x280x890mm	1420x380x950mm	1280x270x890mm
 N.W./G.W.	26.5/29kg	28/30.5kg	53/56kg	60/68kg	43.4/48.6kg
 20'/40'HQ	186/475PCS	186/475PCS	84/198PCS	56/189PCS	84/189PCS

HOUSEHOLD AIR BIKE



	IREB2037	IREB2038	IREB2039
 Assembly Size	990x630x1500mm	990x630x1500mm	1130x550x1180mm
 Driving	Chian	Chian	Chian
 Function	Time,speed,distance,calorie	Time,speed,distance,calorie	Time,speed,distance,calorie
 Max User Weight	120kg	120kg	100kg
 Carton Size	980x220x645mm	980x220x645mm	910x185x625mm
 N.W./G.W.	21/23.5kg	22.5/25.5kg	15.7/17kg
 20'/40'HQ	186/475PCS	186/475PCS	240/700PCS



IREB1511M1



IREB1511M6



IREB0911M1



IREB1511M1

IREB1511M6

IREB0911M1

	Main Tube	PT30x60xδ1.5mm	PT30x60xδ1.5mm	PT30x60xδ1.5mm
	Assembly Size	800x460x1180mm	770x430x1150mm	800x490x1140mm
	Resistance	8 levels, Magnetic control	8 levels, Magnetic control	8 levels, magnetic control
	Driving	Belt	Belt	Belt
	Function	Scan,time,speed,distance,odo,calorie,pulse	Scan,time,speed,distance,odo,calorie	Time,speed,distance,odo,calorie,pulse
	Pulse	Hand pulse	N/A	Hand pulse
	Flywheel	2kg	2kg	2kg
	Crank Arm	3PCS	3PCS	3PCS
	Pedal	Yes 1/2"	Yes 1/2"	Yes
	Seat	PU	PU	PU
	Max User Weight	120kg	120kg	100kg
	Carton Size	1170x230x408mm	925x390x235mm	1135x205x415mm
	N.W./G.W.	15.7/17.5kg	14.8/16.3kg	17.8/20kg
	20'/40'/40'HQ	250/500/560PCS	340/720/792PCS	275/550/600PCS

X-MAGNETIC BIKE

IREB0911M3



IREB0911M3

IREB4008M1



IREB4008M1

IREB4009M1



IREB4009M1

	Main Tube	PT30x60xδ1.5mm		Main Tube	PT30x60xδ1.5mm		Main Tube	PT30x60xδ1.5mm
	Assembly Size	930x490x1250mm		Assembly Size	1150x970x510mm		Assembly Size	1130x780x410mm
	Resistance	8 levels,magnetic control		Resistance	8 levels,magnetic control		Resistance	8 levels,magnetic control
	Driving	Belt		Driving	Belt		Driving	Belt
	Function	Scan,time,speed,distance,calorie,pulse		Function	Time,speed,distance,calorie,scan		Function	Time,speed,distance,calorie,pulse,scan
	Pulse	Hand pulse		Pulse	NO		Pulse	Hand pulse
	Flywheel	2kg		Flywheel	2kg		Flywheel	2kg
	Crank Arm	3PCS		Crank Arm	3PCS		Crank Arm	3PCS
	Pedal	Yes		Pedal	Yes		Pedal	Yes
	Seat	PU		Seat	PU		Seat	PU
	Max User Weight	100kg		Max User Weight	100kg		Max User Weight	100kg
	Carton Size	1165x235x400mm		Carton Size	1150x210x38.5mm		Carton Size	1150x210x385mm
	N.W./G.W.	15.7/17.5kg		N.W./G.W.	19/21kg		N.W./G.W.	16/18kg
	20'/40'/40'HQ	275/550/580PCS		20'/40'/40'HQ	300/600/650PCS		20'/40'/40'HQ	300/600/650PCS



IREB1211M1



IREB1211M2



IREB2025M1

IREB1211M1

IREB1211M2

IREB2025M1

	Main Tube	PT30x60xδ1.5mm	PT30x60xδ1.5mm	Oval 40x80x2T
	Assembly Size	800x425x1125mm	1000x570x1175mm	942x610x1180mm
	Resistance	8 leve's. Magnetic control	8 levels. Magnetic control	Magnetic control
	Driving	Belt	Belt	6PJ Belt
	Function	Scan,time,speed,distance,calorie,pulse		/
	Pulse	Hand pulse	Hand pulse	/
	Flywheel	2kg	2kg	4kg
	Crank Arm	3PCS	3PCS	3PCS
	Pedal	Yes 1/2"	Yes 1/2"	/
	Seat	PU	PU	PU
	Max User Weight	100kg	100kg	120kg
	Carton Size	1130x205x390mm	1130x225x390mm	845x245x770mm
	N.W./G.W.	16/18kg	17/19kg	31/35kg
	20'/40'/40'HQ	282/575/620PCS	260/520/560PCS	187/376/420PCS

MAGNETIC BIKE

IREB0801E



IREB2004



(Applicable to 26-28-inch bicycles)

IREB2024M1



IREB2019



	IREB2024M1	IREB0801E	IREB2004	IREB2019
Main Tube	Square30x60x1.5T	25x50xδ1.2mm	PT25x50xδ1.2mm	50x27mm
Assembly Size	550x430x365mm	410x350x275mm	410x320x360mm	600x570x410mm
Resistance	Magnetic control	Manual control	Manual control	Magnetic control
Driving	Belt	Belt	Belt	/
Function	Time,odo,calorie,rpm,distance	Time,speed,calorie,scan,distance		/
Flywheel	2kg magnetic flywheel	2kg	Plastic wheel	/
Crank Arm	152 electrophoresis	1PCS	1PCS	/
Pedal	Plastic pedal	Yes	Yes	/
Max User Weight	120kg	100kg	100kg	120kg
Carton Size	580x190x450mm	415x190x310mm	410x320x195mm	660x430x200mm
N.W./G.W.	9.5/11kg	5.3/5.8kg	5.5/6kg	6.4/7.3kg
20'/40'/40'HQ	600/1250/1420PCS	1162/2366/2504PCS	1040/2040/2200PCS	/

SPINING BIKE(home Use)

IREB2005



IREB2027



IREB2026



	IREB2005	IREB2027	IREB2026
 Assembly Size	1050x470x1000mm	1050x510x1130mm	1140x520x1200mm
 Driving	Belt or chain	6PJ Belt	6PJ Belt
 Function	Time,speed,distance,calories,pulse	Time,speed,odo,calorie,distance,pulse	Time,speed,odo,calorie,distance,pulse
 Flywheel	10kg	10kg	6kg
 Brake	Friction bracking systeam and emergency lock	Fleece braking system	Fleece braking system
 Crank Arm	3PCS	165 electrophoresis	165 electrophoresis
 Hand Bar	Vertically adjustable	Φ28 dipping	Φ25 foam
 Pedal	Aluminium	301 Aluminium	301 Aluminium
 Seat	Horizontally and vertically adjustable	Horizontally andvertically adjustable	Horizontally and vertically adjustable
 Max User Weight	130kg	150kg	130kg
 Carton Size	1030x220x780mm	1075x210x860mm	970x190x760mm
 N.W./G.W.	30/33kg	36/40kg	25/29kg
 20'/40'/40'HQ	155/305/365PCS	154/320/363PCS	208/432/512PCS

SPINING BIKE (home Use)

IREB2028



IREB2023



IREB1701M3



	IREB2028	IREB2023	IREB1701M3
 Main Tube	Oval 50x100x1.5T	Oval 40x80x1.5T	50x75xδ2mm
 Assembly Size	1190X520X1260mm	1270x510x1260mm	1400X540X1190mm
 Driving	6PJ Belt	6PJ Belt	5PK belt
 Function	Time,speed,odo,calorie, distance,rpm,watt,load,bluetooth	/	Time,speed,odo,calorie, distance,rpm,pulse,colock
 Flywheel	6kg	6kg	5kg
 Brake	Fleece braking system	Magnetic braking system	Magnetic braking system
 Crank Arm	170 electroplating	165 electrophoresis	170 electroplating
 Hand Bar	Φ28 dipping	Φ28 dipping	Φ32 dipping
 Pedal	301 Aluminium	301 Aluminium	301 Aluminium
 Seat	Horizontally andvertically adjustable		
 Max User Weight	150kg	100kg	180kg
 Carton Size	1165X250X930mm	1085x250x900mm	1265X340X1030mm
 N.W./G.W.	35/39kg	39/43kg	59.5/67kg
 20'/40'/40'HQ	110/228/250PCS	118/250/276PCS	58/122/140PCS

SPINING BIKE(home Use)

IREB2029



IREB2030



IREB2012



	IREB2029	IREB2030	IREB2012
Main Tube	Oval 40x120x2T	Oval 40x100x1.5T	Oval 40x100x1.5T
Assembly Size	1110X530X1190mm	1210x530x1150mm	1370x500x1160mm
Driving	5PK Belt	6PJ Belt	Belt
Function	Time,speed,odo,calorie,distance	Time,speed,calorie,distance,rpm,watt,load,bluetooth	Time,speed,distance,calories,pulse
Flywheel	8kg	14.5kg	15kg
Brake	Magnetic braking system	Magnetic braking system	1-8 leves resiatance micro-adjustable system
Crank Arm	170 electroplating	170 electroplating	3PCS
Hand Bar	Φ28 dipping	Φ28 dipping	Horizontally andvertically adjustable
Pedal	301 Aluminium	301 Aluminium	Aluminium
Seat	Horizontally andvertically adjustable	Horizontally andvertically adjustable	Horizontally and vertically adjustable
Max User Weight	130kg	150kg	130kg
Carton Size	1050X225X930mm	1065x225x925mm	1060x260x920mm
N.W./G.W.	44/48kg	46/50kg	41/45kg
20'/40'/40'HQ	132/272/296PCS	132/272/296PCS	105/220/260PCS

SPINING BIKE (home Use)



IREB2031



IREB2041



IREB2032



IREB2040

	IREB2031	IREB2032	IREB2040	IREB2041
Main Tube	Oval 40x120x2T	Oval 50x100x1.5T	Oval 40x80x1.5T	Oval 40x80x1.5T
Assembly Size	1250x530x1240mm	1070x530x1310mm	1220x500x1190mm	1300x560x1200mm
Driving	5PK Belt	Magnetic system	Magnetic system	Belt
Function	Time,speed,odo,calorie,pulse, distance,rpm,watt,load,bluetooth	/	Time,speed,odo,calorie,pulse, distance,rpm,watt,load,bluetooth	Time,speed,odo,calorie,pulse, distance,rpm,watt,load,bluetooth
Flywheel	20kg	20kg	6kg	5.2kg
Brake	Friction braking system	Magnetic braking system	Magnetic braking system	Magnetic braking system
Pedal	304 Aluminium	301 Aluminium	301 Aluminium	301 Aluminium
Seat	Horizontally and vertically adjustable		Horizontally and vertically adjustable	
Max User Weight	150kg	180kg	120kg	120kg
Carton Size	1075x225x960mm	1075x225x965mm	1050x270x910mm	1300x800x280kg
N.W./G.W.	56/61kg	62/68kg	23/26.5kg	54/60kg
20'/40'/40'HQ	128/268/292PCS	128/268/292PCS	100/200/248PCS	88/184/280PCS

MOTORIZED TREADMILL

IRMT803



IRMT2007



IRMT2020



IRMT5000A



	IRMT803	IRMT2007	IRMT5000A	IRMT2020
Motor Power	DC2.75HP	DC3.5HP	DC2.75HP	DC2.5HP
Rated Voltage	220-240V/110-120V	220-240V/110-120V	220-240V/110-120V	220-240V/110-120V
Speed Range	0.8-16km/h	1.0-16.0km/h	1.0-22.0km/h	1.0-14km/h
Running Area	460x1320mm	460x1300mm	500x1430mm	440x1220mm
Package Size	1950x880x360mm	1795x845x320mm	2025x880x375mm	1660x760x290mm
N.W/G.W.	91/104kg	73.5/79kg	86/96kg	45.5/53kg
Max User Weight	125kg	120kg	150kg	120kg
20'/40'/40'HQ	40/84/102PCS	52/110/130PCS	38/80/110PCS	81/171/193PCS

MOTORIZED TREADMILL

IRMT2012



IRMT2017



	IRMT2012	IRMT2017
 Motor Power	DC2.0HP	DC2.0HP
 Rated Voltage	220-240V/110-120V	220-240V/110-120V
 Speed Range	1.0-12.8km/H	1.0-12km/H
 Running Area	400x1020mm	400x1020mm
 Package Size	1410x765x254mm	1415x695x228mm
 N.W/G.W.	40/45.5kg	33/38kg
 Max User Weight	100kg	100kg
 Loading QTY	108/224/248PCS	132/273/297PCS

MOTORIZED TREADMILL



	IRMT2018	IRMT2021	IRMT2022
 Motor Power	DC2.0HP	DC2.0HP	DC2.0HP
 Rated Voltage	220-240V/110-120V	220-240V/110-120V	220-240V/110-120V
 Speed Range	1.0-12km/H	1.0-12km/H	1.0-12km/H
 Running Area	400x1100mm	400x1100mm	400x1100mm
 Package Size	1415x695x228mm	1415x695x245mm	1470x660x220mm
 N.W/G.W.	33/38kg	35/40kg	30/35kg
 Max User Weight	100kg	100kg	100kg
 Loading QTY	132/273/297PCS	120/250/274PCS	133/286/338PCS

MOTORIZED TREADMILL



	IRMT2028	IRMT850	IRMT6002
 Motor Power	DC2.0HP	DC2.0HP	AC3.0HP
 Rated Voltage	240V/110V	240V/110V	240V/110V
 Speed Range	1-20km/H	1-20km/H	1-20km/H
 Running Area	560x1500mm	560x1500mm	560x1550mm
 Assembly Size	2100x870x1580mm	2030x870x1630mm	1730x840x1595mm
 Package Size	2200x1070x545kg	①2115x860x400mm ②1080x960x485mm	2210x950x430mm
 N.W/G.W.	100/115kg	100/120kg	165/185kg
 Max User Weight	130kg	150kg	180kg
 Loading QTY	20/44/44PCS	20/44/44PCS	30/60/72PCS

MOTORIZED TREADMILL



IRMT5001



IRMT2019



IRMT5800

	IRMT5001	IRMT2019	IRMT5800
Motor Power	/	DC4.0HP	AC2.5-5.0HP
Rated Voltage	240V/110V	220-240V/110-120V	240V/110V
Speed Range	Manpower driven	1.0-18km/h	1.0-22km/H
Running Area	480x1600mm	520x1380mm	600x1580mm
Package Size	2110x1050x525mm	1850x960x420mm	①2250x1040x520mm ②1070x1030x358mm
N.W/G.W.	180/192kg	90/100kg	①190/214kg ②30/48kg
Max User Weight	180kg	150kg	180kg
Loading QTY	22/44/56PCS	36/73/85PCS	22/44/56PCS

MOTORIZED TREADMILL

IRMT2023



IRMT2024



IRMT2025



	IRMT2023	IRMT2024	IRMT2025
Motor Power	DC2.0HP	DC2.0HP	DC2.0HP
Rated Voltage	240V/110V	220-240V/110-120V	240V/110V
Speed Range	1.0-6km/H	1.0-6km/H	1.0-12km/H
Running Area	430x1200mm	400x1100mm	430x1200mm
Package Size	1520x695x165mm	1500x640x165mm	1520x770x230mm
N.W/G.W.	26.5/31kg	20/23kg	30/35kg
Max User Weight	100kg	100kg	100kg
Loading QTY	170/370/426PCS	187/387/437PCS	229PCS/40HQ

MOTORIZED TREADMILL

IRMT2026



IRMT2027



IRMT904



	IRMT2026	IRMT2027	IRMT904
 Motor Power	DC2.0HP	DC2.0HP	DC1.5HP
 Rated Voltage	220-240V/110-120V	220-240V/110-120V	220-240V/110-120V
 Speed Range	1.0-12km/H	1.0-12km/H	0.8-16km/H
 Running Area	400x1100mm	400x1100mm	400x1260mm
 Package Size	1500x640x165mm	1500x640x165mm	1700x780x310mm
 N.W/G.W.	24/29kg	24/29kg	54/63kg
 Max User Weight	100kg	100kg	125kg
 Loading QTY	187/387/437PCS	187/387/437PCS	68/140/152PCS

HOUSEHOLD INVERSION TABLE

IRDLJ3001



IRDLJ3002



IRDLJ3003



	IRDLJ3001	IRDLJ3002	IRDLJ3003
 Assembly Size	1375x720x1690mm	1375x720x1690mm	1130x790x1520mm
 Carton Size	1320x760x125mm	1320x760x125mm	1250x820x100mm
 Max User Weight	150kg	150kg	150kg
 N.W./G.W.	25/35kg	25/30kg	22/24kg
 20'/40'/40'HQ	247/513/567PCS	180/360/420PCS	278/583/682PCS

HOUSEHOLD INVERSION TABLE



IRDLJ3004

IRDLJ3005



IRDLJ3006

IRDLJ3007



	IRDLJ3004	IRDLJ3005	IRDLJ3006	IRDLJ3007
Assembly Size	1130x790x1520mm	1130x790x1520mm	1130x790x1750mm	1130x790x1750mm
Carton Size	1250x820x100mm	990x550x150mm	1250x820x100mm	1250x820x120mm
Max User Weight	150kg	150kg	150kg	150kg
N.W/G.W.	22/24kg	22/24kg	22/24kg	24.5/26.5kg
20'/40'/40'HQ	278/583/682PCS	340/707/829PCS	278/583/682PCS	535PCS/40HQ

ROWING MACHINE



IRRW3002M1

	Main Tube	30x60xδ1.5mm
	Assembly Size	1930x530x865mm
	Resistance	8 level magnetic resistance
	Console Size	185x140x40mm
	LCD Size	80x30mm
	Function	Scan,time,speed,calories,distance,odo
	Rail	Aluminum rail
	Max User Weight	120kg
	Carton Size	1025x395x820mm
	N.W./G.W.	39/41.6kg
	20'/40'/40'HQ	72/152/189PCS

ROWING MACHINE



① ADJUSTABLE KNOB



② ANTI SLIP
SOFT HANDLE



③ ANTISKID PEDAL



④ METAL GUIDE RAIL



IRRW3001

	Main Tube	50x100xδ1.5mm
	Assembly Size	1890x560x560mm
	Resistance	8 level magnetic resistance
	Console Size	No
	LCD Size	With APP program, Bluetooth
	Function	Scan,time,speed,distance,odo,rate,times
	Rail	Metal rail
	Max User Weight	120kg
	Carton Size	620x630x615mm
	N.W./G.W.	20/25kg
	20'/40'/40'HQ	81/171/228PCS

ROWING MACHINE



	IRRW5002	IRRW1902C
 Main Tube	20x40xδ2mm	PT50x100xδ2.5mm
 Assembly Size	2150x550x560mm	2230x760x1030mm
 Resistance	Water resistance	Water resistance
 Console Size	122x125mm	126x127mm
 LCD Size	76x76mm	74x74mm
 Function	Time,speed,distance,calories	Time,speed,distance,calories
 Rail	Metal rail	Metal rail
 Max User Weight	120kg	180kg
 Carton Size	2180x600x600mm	1200x900x850mm/1550x100x100mm
 N.W./G.W.	38/45kg	60.5/68.5kg
 20'/40'/40'HQ	27/57/76PCS	20/44/46PCS

ROWING MACHINE



	IRRW5003	IRRW5004
 Main Tube	20x40xδ2mm	PT50x100xδ2.5mm
 Assembly Size	2200x540x700mm	2000x520x520mm
 Resistance	Water resistance	Water resistance
 Console Size	88x125mm	128x91mm
 LCD Size	43x64mm	65x80mm
 Function	Time,speed,distance	Time,speed,distance,spm,watt,pulse,level
 Rail	Metal rail	Metal rail
 Max User Weight	120kg	150kg
 Carton Size	1500x570x730mm	960x550x555mm
 N.W./G.W.	60/65kg	29/32kg
 20'/40'/40'HQ	42/90/90PCS	42/90/90PCS

ROWING MACHINE



IRRW1102M2

IRRW1001M

IRRW10M

	IRRW10M	IRRW1001M	IRRW1102M2
 Main Tube	80x40xδ2mm	80x40xδ2mm	60x40xδ1.5mm
 Assembly Size	2150x550x560mm	1935x570x800mm	1790x410x535mm
 Resistance	8 level magnetic resistance	Magnetic resistance	Magnetic resistance
 Console Size	134x107x20mm	165x110x45mm	140x100x65mm
 LCD Size	74x44mm	44x22mm	46x23mm
 Function	Time,speed,distance,calories		Time,count,distance,calories
 Rail	Metal rail	Metal rail	Metal rail
 Max User Weight	120kg	120kg	100kg
 Carton Size	775x325x510mm	1100x323x573mm	1100x300x570mm
 N.W./G.W.	25.9/28.9/4.5/5.5kg	27.5/31.5kg	24/27kg
 20'/40'/40'HQ	84/189/244PCS	148/296/336PCS	156/328/374PCS

ROWING MACHINE



	IRRW3004	IRRW3005	IRRW3006
Main Tube	Rectangle 40x80x2T	Rectangle 52.5x100x2T	Rectangle 30x80x2T
Assembly Size	1400x660x1710mm	1730x500x800mm	1450x500x850mm
Resistance	6PJ belt,magnetic braking system		
Console Size	H100	HT040	HT040
Function	Time,spm,count,distance,calories		
Rail	Metal rail	Metal rail	Metal rail
Max User Weight	120kg	100kg	100kg
Carton Size	1060x225x660mm	1025x210x695mm	1165x225x460mm
N.W./G.W.	25/29kg	24/28kg	24/28kg
20'/40'/40'HQ	177/363/446PCS	200/414/447PCS	250/508/560PCS

ROWING MACHINE

IRRW1601



IRRW2001



IRRW1503



	IRRW1503	IRRW1601	IRRW2001
 Main Tube	40x120x82mm	76x26x82mm	76x26x82mm
 Assembly Size	1485x1600x416mm	1400x660x1710mm	1260x480x680mm
 Resistance	Cylinder resistance	Cylinder resistance	Cylinder resistance
 Console Size	115x80x48mm	92x80x40mm	92x80x40mm
 Function	Time,count,distance,calories	Time,speed,distance,calories	Time,speed,distance,calories
 Rail	Metal rail	Metal rail	Metal rail
 Max User Weight	100kg	100kg	100kg
 Carton Size	1300x460x232mm	1460x360x250mm	1355x180x340mm
 N.W./G.W.	29.6/32.4kg	14.5/17kg	9/15kg
 20'/40'/40'HQ	189/405/450PCS	216/430/480PCS	320/650/780PCS



	IRRW3003B	IRRW04D
 Main Tube	76x26xδ2mm	76x26xδ2mm
 Assembly Size	1310x810x320mm	1235x735x660mm
 Resistance	Cylinder resistance	Cylinder resistance
 Console Size	93x81x38mm	115x80x48mm
 Function	Time,count,distance,calories	Time,count,distance,calories
 Rail	Metal rail	Metal rail
 Max User Weight	100kg	100kg
 Carton Size	1300x300x230mm	1230x340x130mm
 N.W./G.W.	16/18kg	17/19kg
 20'/40'/40'HQ	270/585/650PCS	442/935/1100PCS

MINI STEPPER

IRST2002



IRST2008



IRST2003



IRST10



	IRST2002	IRST2008	IRST2003	IRST10
Main Tube	50x25xδ1.2mm	50x25xδ1.2mm	50x25xδ1.2mm	50x25xδ1.2mm
Assembly Size	300x150x240mm	430x370x220mm	520x560x230mm	420x340x240mm
Display	NO	Time,count,total count,calories,scan		
Max User Weight	100kg	100kg	100kg	100kg
Carton Size	400x200x340mm	450x245x425mm	510x280x500mm	360x220x480mm
N.W/G.W.	3/3.5kg	6.7/7.5kg	9/10.5kg	6/7kg
20GP/40GP/40HQ	1030/2050/2390PCS	592/1220/1450PCS	400/800/910PCS	720/1488/1656PCS

IRST2001



IRST2009



IRST32



IRST2005



	IRST2001	IRST32	IRST2005	IRST2009
Main Tube	50x50mm	φ50x1.5mm	50x25xδ1.2mm	50x50mm
Assembly Size	405x350x235mm	520x560x230mm	310x330x200mm	400x300x220mm
Display	Time,count, strides/min, calories, scan		Time,count, total count, calories, scan	
Max User Weight	100kg	100kg	100kg	100kg
Carton Size	415x225x570mm	510x280x500mm	360x220x420mm	355x220x420mm
N.W/G.W.	6.7/7.5kg	9/10.5kg	5.2/5.7kg	7.5/8kg
20GP/40GP/40HQ	675/1400/1525PCS	400/800/910PCS	820/1650/2050PCS	965/1983/2175PCS

MULTI-FUNCTION STEPPER

IRST2007



IRST0804



IRST15



	IRST2007	IRST0804	IRST15
 Main Tube	φ50xδ1.2mm	φ50xδ1.5mm	φ76xδ2mm
 Assembly Size	520x560x1150mm	563x385x1247mm	880x600x1250mm
 Function	Time,count,total count,calories,scan	Scan,time,speed,distance,calories	Scan,time,speed,distance,calories
 Hand grip	Foam	Foam	Foam
 Hand bar	φ22xδ1.2mm	φ25xδ1.5mm	φ25xδ2mm
 Pedal Size	290x116mm	280x114mm	398X150mm
 Max User Weight	100kg	100kg	100kg
 Carton Size	510x280x580mm	550x395x230mm	1400x500x260mm
 N.W./G.W.	12/13kg	10/11kg	27.5/31.5kg
 20'/40'/40'HQ	350/700/850PCS	580/1210/1376PCS	160/325/385PCS

IREB2021



IREB1515M1



IREB1515M2



IREB2022




IREB1515M3



	IREB2021	IREB2022	IREB1515M1	IREB1515M2	IREB1515M3
Main Tube	25x75x82mm	25x75x82mm	25x75x82mm	25x75x82mm	25x75x82mm
Assembly Size	616x480x290mm	550x500x280mm	520x415x400mm	830x515x340mm	710x435x1300mm
Resistance	Magnetic	Magnetic	Magnetic	Magnetic	Magnetic (Hand pulse)
Driving	Manual +/- tension control				
Function	Scan,time,speed,distance,calories				
Stride Length	R73.5x2mm	R73.5x2mm	R73.5x2mm	R127x2mm	R73.5x2mm
Flywheel	1.6kg	1.6kg	1.5kg	1.5kg	1.5kg
Crank Arm	3PCS	3PCS	3PCS	3PCS	3PCS
Max User Weight	120kg	100kg	100kg	100kg	100kg
Carton Size	596x396x330mm	590x335x350mm	550x340x365mm	550x345x405mm	670x360x370mm
N.W./G.W.	16/14kg	12.3/11.3kg	11.4/13.3kg	13.4/15.4kg	14/16kg
20'/40'/40'HQ	390/812/934PCS	405/840/985PCS	408/828/966PCS	330/680/816PCS	306/630/705PCS

VIBRATION PLATE

IRSZJ3001



IRSZJ3004



IRSZJ3002



IRSZJ3003



IREB3001

IREB3002

IREB3003

IREB3004

	Assembly Size	770x440x150mm	820x420x130mm	530x320x130mm	530x320x130mm
	Texture Of Material	Stainless steel tube+ABS plastic			
	Max Speed	99	99	120	99
	Max User Weight	120kg	150kg	120kg	120kg
	Carton Size	820x490x200mm	880x490x200mm	585x425x155mm	585x425x155mm
	N.W./G.W.	12/13.5kg	15/16kg	8.5/9.2kg	8.5/9.2kg
	20'/40'HQ	330/795PCS	324/788PCS	725/1660PCS	725/1660PCS

IRSZJ3005



IRSZJ3008



IRSZJ3006



IRSZJ3007



IREB3005

IREB3006

IREB3007

IREB3008

 Assembly Size	530x320x130mm	530x320x130mm	680x380x140mm	750x450x150mm
 Texture Of Material	Stainless steel tube+ABS plastic			
 Max Speed	120	120	99	120
 Max User Weight	120kg	120kg	120kg	120kg
 Carton Size	585x425x155mm	585x425x155mm	780x440x210mm	820x490x20mm
 N.W./G.W.	11/12kg	8.5/9.2kg	12/13kg	15/16.5kg
 20'/40'HQ	725/1660PCS	725/1660PCS	388/943PCS	345/795PCS

IRSB3001



IRSB3002



IRSB3037



	IRSB3001	IRSB3002	IRSB3037
 Main Tube	30x30xδ3mm/ φ25xδ2mm	30x30xδ2mm/ φ25xδ2mm	/
 Assembly Size	1160x360x650mm	1160x360x650mm	92.5x410x230mm
 Carton Size	1180x345x130mm	1180x345x130mm	①535x50x275mm②540x325x285mm(6pcs) ③540x430x285mm(8pcs)
 N.W./G.W.	5.6/7.3kg	6.5/7.5kg	①2.1/2.4kg②12.5/15.5kg(6pcs)
 20'/40'/40'HQ	505/990/1200PCS	505/990/1200PCS	3835/7945/9315PCS

IRSB1308



IRSB3038



IRSB3005



IRSB3006



IRSB1308

IRSB3038

IRSB3005

IRSB3006

	Main Tube	45x45xδ1.5mm/ φ25xδ1.5mm	/	30x30xδ2mm/ φ25xδ2mm	30x30xδ2mm/ φ25xδ2mm
	Assembly Size	500x990x205mm	1040x430x210mm	1160x320x420mm	1120x320x420mm
	Carton Size	580x210x120mm	550x85x230mm	1180x340x205mm	1180x310x185mm
	N.W./G.W.	4.5/4.7kg	3.8/4.2kg	5/7.4kg	5/6.5kg
	20'/40'/40'HQ	1620/3420/4200PCS	2800/5800/6800PCS	335/685/708PCS	400/830/896PCS

CHIN UP BAR

IR99715



IRSB3003



IRSB3004



	IRSB3003	IRSB3004	IR99715
 Main Tube	45x45xδ1.5mm/ φ28xδ1.5mm	45x45xδ1.5mm/ φ25xδ2mm	φ30x1.5mm/ φ24.5x1.5mm
 Assembly Size	1260x600x590mm	1150x320x560mm	①(650-900)x65x200mm②(800-1050)x65x200mm/ ③(950-1200)x65x200mm
 Carton Size	1200x540x130mm	1180x360x185mm	①95x80x630mm②95x80x780mm③95x80x930mm
 N.W./G.W.	12/13.5kg	5.6/7.5kg	①2/2.05kg②2.2/2.3kg③2.5/2.64kg
 20'/40'/40'HQ	325/660/780PCS	350/710/826PCS	1400/2850/3500PCS

IRSB1901



IRSB1702



IRSB3043



	IRSB1901	IRSB1702	IRSB3043
 Main Tube	φ25.4xδ3mm	φ38xδ1.5mm	/
 Assembly Size	440x540x260mm	620x375x350mm(one)	730x250x200mm
 Carton Size	480x80x600mm	650x160x320mm	625x550x425mm
 N.W./G.W.	6.1/7.1kg	6.8/7.4kg	13/17.4kg
 20'/40'/40'HQ	1060/2280/2610PCS	820/1740/2610PCS	180/370/430PCS

INDOOR PARALLEL BARS

IRSB3007



IRSB3040



IRSB3008



IRSB3039



	IRSB3007	IRSB3008	IRSB3039	IRSB3040
 Main Tube	50x50xδ2mm	φ38xδ1.5mm	/	/
 Assembly Size	608x348x706mm	465x330x390mm	620x410x730mm	620x1020x730mm
 Carton Size	685x635x115mm	500x340x110mm	640x90x660mm	640x90x660mm
 N.W./G.W.	11.5/12.5kg	6.5/7.2kg	8.5/9.5kg	9.2/10.3kg
 20'/40'/40'HQ	550/1120/1188PCS	1440/2940/3500PCS	730/1560/1770PCS	730/1560/1770PCS

IRSB3041



IRSB2011



IRSB22B



IRSB3041

IRSB2011

IRSB22B

	Main Tube	50x50x1.5mm	50x50x1.5mm	φ35xδ2mm
	Assembly Size	960x680x2010mm	1920x1020x2210mm	720x1020x2250mm
	Carton Size	1065x345x170mm	1320x570x250mm	1250x430x205mm
	N.W./G.W.	21.4/23.3kg	40/42kg	22.1/25.5kg
	20'/40'/40'HQ	370/780/923PCS	150/305/350PCS	250/515/550PCS

BOXING STAND

IRSB3009



IRSB3012



IRSB3010



IRSB3011

	IRSB3009	IRSB3012	IRSB3010	IRSB3011
 Main Tube	50x50xδ1.5mm/ 38x38xδ1.5mm	38x38xδ1.5mm/ φ28x1.5mm	38x38xδ1.5mm	50x50xδ1.52mm
 Assembly Size	1820x1840x2180mm	580x840x560mm	668x400x700mm	1460x2030x2183mm
 Carton Size	1200x360x200mm / 1080x680x190mm	850x260x80mm	700x400x65mm	1610x630x135mm/ 1000x300x280mm
 N.W./G.W.	42/47kg	3.5/4kg	9/10.5kg	46/48kg 15/16.5kg(sandbag)
 20'/40'/40'HQ	125/250/285PCS	1650/3400P/3850CS	1420/2920/3400PCS	125/255/290PCS

IRSB3013



IRSB3014



IRSB1507



	IRSB3013	IRSB3014	IRSB1507
 Main Tube	50x50xδ2mm	45x45xδ1.5mm/ φ25x1.5mm	PT80x40xδ1.5mm
 Assembly Size	1346x885x2055mm	1100x1050x2100mm	1600x1220x2200mm
 Carton Size	1335x525x190mm/ 1000x300x300mm	1200x630x80mm	1460x620x180mm
 N.W./G.W.	34/36kg 15/16.5kg(sandbag)	24/26kg	32/35kg
 20'/40'/40'HQ	130/255/290PCS	360/810/925PCS	170/350/378PCS

SIT-UP BENCH

IRSB01F



IRSB01G



IRSB06B



IRSB07B



IRSB07



	IRSB01F	IRSB01G	IRSB06B	IRSB07B	IRSB07
Main Tube	38x38xδ1.2mm	38x38xδ1.5mm	30x30xδ1.5mm	38x38xδ1.5mm	50x50xδ1.5mm
Assembly Size	1160-1200x530-660x325mm	1360x560x650mm	1290x380x585mm	1400x330x650mm	1400x330x710mm
Carton Size	710x250x340mm	1165x335x170mm	1250x160x400mm	1255x125x360mm	1280x130x380mm
N.W./G.W.	7/8kg	8/9kg	6.8/8.7kg	7.5/8.5kg	9/10kg
20'/40'/40'HQ	396/828/966PCS	375/810/950PCS	440/880/1000PCS	454/925/1075PCS	350/785/882PCS

IRSB2005



IRSB2005B



IRSB29D



IRSB08B



	IRSB2005	IRSB2005B	IRSB29D	IRSB08B
 Main Tube	PT30x70xδ2mm	PT30x70xδ2mm	38x38xδ1.5mm	38x38xδ1.5mm
 Assembly Size	1480x380x1160mm 880x380x220mm(fold size)	1480x380x1160mm 880x380x220mm(fold size)	1290x570x650mm	1240x340x630mm
 Carton Size	385x255x935mm	385x255x935mm	1210x225x360mm	1200x200x360mm
 N.W./G.W.	13.7/15.5kg	14/16kg	9/12kg	8/10kg
 20'/40'/40'HQ	284/601/668PCS	284/601/668PCS	255/510/585PCS	320/610 /700PCS

SIT-UP BENCH

IRSB2001B



IRSB2001C



IRSB2002



IRSB3015



	IRSB2001B	IRSB2002	IRSB3015	IRSB2001C
 Main Tube	50x50xδ1.5mm	50x50xδ1.5mm	70x50xδ3mm	40x40xδ1.5mm
 Assembly Size	1050x510x455mm	960x510x410mm	1190x300x457mm	960x450x410mm
 Carton Size	1090x400x165mm	1000x325x130mm	1220x395x230mm	1000x325x130mm
 N.W./G.W.	9/11kg	11/13kg	18/20kg	8/10kg
 20'/40'/40'HQ	385/800/870PCS	645/1340/1540PCS	250/515/530PCS	645/1340/1540PCS

IR1901



IRSB0911



IRSB1803



IRSB1408



IR1901

IRSB0911

IRSB1803

IRSB1408

	Main Tube	40X20Xδ2mm/δ3mm steel plate	PT30X70Xδ1.5mm	PT40x80xδ2.5mm	PT30X70Xδ1.5mm
	Assembly Size	1370x405x(470-1300)mm	1270x690x(580~1100)mm	1190x580x(410-1060)mm	1290x560x(550~1060)mm
	Carton Size	1330x480x440mm	730x340x195mm	1230x540x253mm	780x340x265mm/130x120x635mm
	N.W./G.W.	59/63kg	12/13kg	25.8/29kg	17/19.9kg
	20'/40'/40'HQ	100/210/248PCS	600/1200/1326PCS	160/340/360PCS	340/700/800PCS

SIT-UP BENCH



IRSB1506



IRSB1205



IRSB35



IRSB3044

IRSB1506

IRSB35

IRSB1205

IRSB3044

	Main Tube	50x75xδ2.5mm	50x50xδ2mm	50x75xδ2.5mm	50x75xδ2.5mm
	Assembly Size	138x750x890mm	1230x700x (470~1210) mm	1590x660x(530~1300)mm	1570x600x(465~1250)mm
	Carton Size	930x720x220mm	1160x440x175mm	1300x500x240mm	1300x500x240mm
	N.W./G.W.	36.9/40.4kg	20/24kg	36/40kg	36/40kg
	20'/40'/40'HQ	180/360/429PCS	288/600/780PCS	175/365/395PCS	175/365/395PCS

IRSB2009



IRSB2001



IRSB2007



IRSB2008



IRSB2010

	IRSB2007	IRSB2008	IRSB2009	IRSB2010	IRSB2001
 Main Tube	44.5x76.2x2mm	50x50xδ1.5mm	50x100xδ1.5mm	30x60x1.5mm	50x70xδ1.5mm
 Assembly Size	1630x650x510mm	1390x700x870mm	1390x560x460mm	1380x510x850mm	1050x510x455mm
 Carton Size	1330x470x220mm	1090x550x165mm	1270x430x190mm	930x540x280mm	1090x400x165mm
 N.W./G.W.	34/36kg	17.4/19.4kg	30/32kg	25.4/27.4kg	10/12kg
 20'/40'/40'HQ	205/410/492PCS	252/535/585PCS	250/520/585PCS	200/410/432PCS	385/800/870PCS

SIT-UP BENCH

IREBH1501



IRSB1502



IRSB1503



IRSB1504



IRSB1001



IREBH1501

IRSB1502

IRSB1503

IRSB1504

IRSB1001

	Main Tube	38x38xδ2mm	45x45xδ2mm	45x45xδ2mm	45x45xδ1.5mm	45x45xδ2mm
	Assembly Size	1975x1010x1180mm	1470x460x890mm	1010x510x875mm	1370x460x550mm	1500x460x (565-1430) mm
	Carton Size	1200x450x270mm	1210x510x200mm	910x508x220mm	1330x420x215mm	1310x510x215mm
	N.W./G.W.	26/32kg	19.5/21kg	14/15.6kg	12/13.5kg	24.5/26kg
	20'/40'/40'HQ	160/344/377PCS	209/451/533PCS	210/450/540PCS	210/440/528PCS	170/360/432PCS



IRSB3025



IRSB3030



IRSB3024



IRSB3023

IRSB3025

IRSB3030

IRSB3024

IRSB3023

	Main Tube	100x50xδ2mm	50x70x2mm	100x50xδ2mm	50x50xδ3mm
	Assembly Size	1083x467x503-603mm	1780x930x(1124-1374)mm	1457x810x490mm	1371x810x450mm
	Carton Size	1110x500x140mm	①1610x810x210mm ②580x480x290mm	①1440x310x450mm ②1250x340x95mm	1440x305x420mm
	N.W./G.W.	22/23kg	71/70kg	①41/43kg②6.5/7.5kg	34/40kg
	20'/40'/40'HQ	355/725/828PCS	80/162/186PCS	120/235/270PCS	150/310/336PCS

SIT-UP BENCH



IRSB3016



IRSB3018



IRSB3045



IRSB3019

IRSB3016

IRSB3045

IRSB3018

IRSB3019

	Main Tube	50x50xδ2mm	80x45xδ3mm	70x50xδ3mm	45x45xδ1.5mm
	Assembly Size	1361x444x490mm	1490x538x480mm	1412x689x465mm	1050x550x980mm
	Carton Size	350x300x920mm	1340x575x190mm	1340x575x190mm	830x260x330mm
	N.W./G.W.	16/17.5kg	40/42kg	40/42kg	10/11kg
	20'/40'/40'HQ	290/590/680PCS	190/390/448PCS	190/390/448PCS	390/800/896PCS



IRHF1701



IRSB3020



IRSB3021



IRSB3022

	IRHF1701	IRSB3020	IRSB3021	IRSB3022
Main Tube	PT40x80xδ2.5mm	40x50x1.5T	50x50xδ3mm	50x1.8T
Assembly Size	(1090-1440)x710x(920-1370)mm	1510x465x1270mm	1312x770x454mm	1200x770x640-800mm
Carton Size	1320X650X220mm	1240x430x120mm	①1340x410x305mm ②580x330x110mm	930x540x150mm
N.W./G.W.	30.6/37.6kg	15.6/17.2kg	①41/43kg②4/5kg	16/17.8kg
20'/40'/40'HQ	120/270/324PCS	430/870/945PCS	150/300/345PCS	359/749/864PCS

WEIGHT BENCH

IREBH3001



IREBH850F



IREBH850D



IREBH32D



IREBH850D

IREBH850F

IREBH3001

IREBH32D

	Main Tube	φ76xδ1.5mm	φ76xδ1.5mm	φ76xδ1.5mm	φ76xδ1.5mm
	Assembly Size	1750x1090x1650mm	2100x1050x (1220~1650) mm	1820x1520x2020mm	2300x1100x1940mm
	Carton Size	1270x640x255mm	1270x640x255mm	/	1100x530x285mm/1815x490x225mm
	N.W./G.W.	48/52.7kg	41.5/47.4kg	68/76kg	72/81.7kg
	20'/40'/40'HQ	116/240/270PCS	116/240/270PCS	/	64/134/150PCS

IREBH02D



IREBH0901



IREBH0910



IREBH71

IREBH3002



IREBH02D

IREBH0910

IREBH71

IREBH0901

IREBH3002

	Main Tube	50x50xδ1.5mm	φ60xδ2mm	φ50xδ1.5mm	38x38xδ1.5mm	φ50xδ1.5mm
	Assembly Size	1630x660x1120mm	1620x810x1190mm	1630x790x1250mm	1730x680x1110mm	1800x720x1095mm
	Carton Size	1155x570x160mm	1330x440x200mm	980x420x260mm	1140x565x185mm	1300x400x180mm
	N.W./G.W.	20.5/23.5kg	27.5/30kg	21.5/24kg	20/22kg	29/32kg
	20'/40'/40'HQ	280/560/638PCS	220/462/544PCS	224/504/630PCS	240/480/560PCS	210/450/530PCS

WEIGHT BENCH

IREBH06



IREBH40



IREBH03F



IREBH06H



	IREBH06	IREBH40	IREBH03F	IREBH06H
Main Tube	50x50xδ1.5mm	PT30x70xδ1.5mm	45x45xδ1.5mm	50x50xδ1.5mm
Assembly Size	1590x1220x1080mm	1560x1140x1030mm	1560x1350x1130mm	1580x1310x1090mm
Carton Size	1110x520x175mm	1150x530x165mm	1280x450x180mm	1140x530x190mm
N.W./G.W.	26/28kg	23/26.9kg	21.5/24kg	31/34kg
20'/40'/40'HQ	260/570/616PCS	260/546/630PCS	255/545/630PCS	210/420/570PCS



IREBH73



IRSH4001

	IREBH73	IRSH4001
 Main Tube	50x50xδ2.5mm	50x70x δ2mm
 Assembly Size	1160x1940x1940mm	1570x1350x2100mm
 Carton Size	1965x430x130mm	①2040x320x150mm ②1120x530x210mm
 N.W./G.W.	64/68kg	75/82kg
 20'/40'/40'HQ	238/493/551PCS	135/275/300PCS

IRSB3028



IRSB3033



IRSB3036



IRSB3027



IRSB3035



	IRSB3036	IRSB3028	IRSB3027	IRSB3033	IRSB3035
 Main Tube	60x60x2mm	Φ38x1.5mm	60x60x2mm Φ50x2mm	40x80x2mm	50x2mm
 Assembly Size	680x1100x1060mm	585x358x269mm	1070x1100x680mm	980x1190x630mm	690x970x280mm
 Carton Size	1140x710x200mm	630x400x150mm	1160x700x120mm	1220x960x420mm	1010x630x260mm
 N.W./G.W.	33/35kg	5.8/6.8kg	37/39kg	65/110kg	14/16kg
 20'/40'/40'HQ	176/352/416PCS	730/1500/1717PCS	288/576/672PCS	50/105/126PCS	180/396/410PCS



IRS3032



IRS3034



IRS3031



IRS3029

	IRS3032	IRS3031	IRS3034	IRS3029
 Main Tube	50x50x1.5mm	50x50x1.5mm	50x70x1.5mm	50x50x2mm
 Assembly Size	600x500x490mm	1560x670x560mm	710x510x530mm	1400x984x530mm
 Carton Size	670x540x120mm	1720x720x220mm	660x630x180mm	①1380x400x65mm ②765x640x65mm
 N.W./G.W.	13/14kg	46/47kg	16.8/14.8kg	①13/14kg ②16/17kg
 20'/40'/40'HQ	576/1224/1428PCS	90/180/216PCS	324/648/756PCS	395/810/935PCS

POWER RACK

IRHG3003

IRWW2235

IRHG3004



	IRWW2235	IRHG3003	IRHG3004
 Main Tube	50x50xδ2mm	60x60xδ1.5mm	75x75x2.5mm
 Assembly Size	1520x1620x2200mm	1259x1134x2150mm	1510x1970x2390mm
 Carton Size	①2060x305x115mm ②1220x380x150mm	2000x350x270mm	120kg
 N.W./G.W.	①43/45kg ②30.5/32kg	58/62kg	-
 20'/40'/40'HQ	195/395/435PCS		



	IRHG3002	IRHG3005	IRSB3026
 Main Tube	60x60xδ2mm	75x75x3mm	60x80xδ3mm
 Assembly Size	1495x1465x2080mm	2300x1400x680mm	1128/1728x770x1897mm
 Carton Size	①2170x200x150mm ②1580x250x140mm ③1200x440x230mm	①2360x210x110mm ②1460x330x200mm	①1840x210x130mm ②810x560x210mm ③590x310x145mm
 N.W./G.W.	①30/32kg ②26/28kg ③35/38kg	-	①23.5/25kg ②35/37kg ③15/16kg

IRSH5014



IRSH1501C



IRSH5014

IRSH1501C

	Main Tube	70x50xδ2.5mm	100x80x δ3mm
	Assembly Size	2020x1770x2240mm	1460x1710x2410mm
	Carton Size	①2170x340x235mm②2160x550x205mm/ ③1630x590x260mm	2450x990x450mm
	N.W. / G.W.	①92/96kg ②87/91kg ③87/90kg	193/270kg
	20'/40'/40'HQ	42/84/96PCS	26/40/48PCS

IRHG3006



IRHG3007



IRHG3008



IRHG3006

IRHG3008

IRHG3007

 Main Tube	75x75x2mm	70x75xδ2.5mm	70x75xδ2.5mm
 Assembly Size	2320x2580x2730mm	1970x1970x2390mm	2032x1930x2264mm
 Carton Size	①2800x190x130mm ②2800x190x130mm ③1520x310x180mm ④2300x350x110mm ⑤1120x440x200mm ⑥1330x530x190mm ⑦910x490x270mm ⑧660x430x250mm		
 N.W. / G.W.	353kg	272kg	500kg

IRHG1401



IRHG1405



	IRHG1401	IRHG1405
 Weight stack	130LBS/CEMENT STACK	150LBS/CEMENT STACK
 Main Tube	PT80x40xδ2mm/PT70x30xδ2mm	PT80x40xδ2mm/PT70x30xδ1.5mm
 Assembly Size	1470x1270x2080mm	1650x1350x2090mm
 Carton Size	①1940x440x180mm②1020x840x210mm ③400x205x230mm④400x250x270mm	①1905x570x260mm②1050x1050x160mm ③1855x245x200mm④400x250x185mm ⑤400x205x230mm
 N.W./G.W.	128/138kg	175/185kg
 20'/40'/40'HQ	70/140/156PCS	45/90/105PCS

IRHG1402B1



IRHG1402



IRHG1402B1

 Weight stack	150LBS/CEMENT STACK
 Main Tube	PT40x80xδ2mm
 Assembly Size	1800x1280x2090mm
 Carton Size	①1910x760x280mm②1050x990x150mm ③1865x255x210mm④400x200x185mm/ ⑤400x200x230mm
 N.W./G.W.	162/170PCS
 20'/40'/40'HQ	46/92/105PCS

IRHG1402

 Weight stack	150LBS/CEMENT STACK
 Main Tube	PT80x40xδ1.5mm φ60xδ2mm
 Assembly Size	1980x1890x2090mm
 Carton Size	①1880x755x270mm②1030x1000x165mm ③400x205x185mm④400x205x230mm
 N.W./G.W.	190/200PCS
 20'/40'/40'HQ	46/92/105PCS

IRHG1403



IRHG1404



	IRHG1403	IRHG1404
 Weight stack	130LBS/CEMENT STACK	150LBS/CEMENT STACK
 Main Tube	PT80x40xδ2mm/PT70x30xδ2mm	PT80x40xδ2mm/PT80x40xδ1.5mm
 Assembly Size	1650x2020x2080mm	1750x2040x2090mm
 Carton Size	①1940x730x280mm②1020x850x200mm ③400x205x230mm④400x205x270mm	①1905x570x260mm②1050x1050x160mm③1855x245x200mm ④1660x710x270mm⑤400x205x185mm⑥400x205x230mm
 N.W./G.W.	160/170kg	210/220kg
 20'/40'/40'HQ	41/98/110PCS	28/56/64PCS

IRHG01HZ



IRHG01H



IRHG01HB



	IRHG01HZ	IRHG01H	IRHG01HB
Weight Stack	100LBS PLASTIC STACKS	100LBS PLASTIC STACKS	100LBS PLASTIC STACKS
Main Tube	38x38xδ1.5mm 38x38xδ2mm	45x45xδ1.5mm	50x50xδ1.5mm
Assembly Size	1455x1070x2030mm	1430x1080x2060mm	1430x1080x2060mm
Carton Size	①1900x440x170mm②390x195x230mm ③390x195x185mm	①1800x375x180mm②390x195x230mm ③390x195x180mm	①1830x440x210mm②390x195x230mm ③390x195x185mm
N.W./G.W.	82/86kg	81/86kg	84/89kg
20'/40'/40'HQ	150/250/285PCS	150/250/285PCS	140/250/285PCS

IRHG01



IRHG01C



IRHG0901D



IRHG01

IRHG01C

IRHG0901D

	Weight Stack	100LBS PLASTIC STACKS	100LBS PLASTIC STACKS	150LBS PLASTIC STACKS
	Main Tube	50x50xδ1.5mm	50x50xδ1.5mm	60xδ1.5mm
	Assembly Size	1570x1200x2050mm	1350x1000x2020mm	1490x1035x2000mm
	Carton Size	①2030x450x200mm②390x195x230mm ③390x195x180mm	①2000x430x185mm②390x195x230mm ③390x195x185mm	①2030x550x230mm②390x193x230mm ③390x195x185mm
	N.W./G.W.	86/90kg	89/95kg	114/118kg
	20'/40'/40"HQ	140/250/285PCS	140/250/285PCS	90/189/231PCS

IRHG02C



IRHG0801B



IRHG01JC



IRHG02C

IRHG0801B

IRHG01JC

	Weight Stack	100LBS PLASTIC STACKS	140LBS PLASTIC STACKS	100LBS PLASTIC STACKS
	Main Tube	50x50xδ1.5mm	50x50x1.5mm	70x30x1.5mm
	Assembly Size	1350x1000x2040mm	1970x990x1560mm	1500x1100x2055mm
	Carton Size	①2030x450x200mm②1850x245x190mm ③390x195x230mm④390x195x185mm	①1890x530x210mm②1890x230x135mm ③390x195x230mm④390x195x185mm	①1980x510x230mm②390x195x230mm ③390x195x185mm
	N.W./G.W.	108/116kg	129/135kg	101/106kg
	20'/40'/40'HQ	120/240/270PCS	80/160/185PCS	110/220/250PCS

IRHG3001



IRHG3001

IRHG1105B



IRHG1105B

IRHG1106B

2-STATION MULTIGYM



IRHG1106B

	Weight Stack	150LBS PLASTIC STACKS	120LBS PLASTIC STACKS	150LBS PLASTIC STACKS
	Main Tube	50x50xδ1.5mm	50x50xδ1.5mm	50x50xδ1.5mm
	Assembly Size	1230x749x2043mm	1800x1090x2000	1850x1940x2000mm
	Carton Size	①1900x460x210mm②380x190x220mm ③380x190x260mm	①1890x515x205mm ②1680x240x130mm	①1930x520x205mm ②400x200x185mm ③1200x800x295mm④400x200x230mm
	N.W./G.W.	①41/44kg ②22.7/23.2kg ③21.8/22.3kg	137/141.2kg	183/187kg
	20'/40'/40'HQ	130/265/300PCS	96/192/220PCS	48/96/105PCS



◀ IRHG04D 3-STATION MULTIGYM

	Weight Stack	100LBS PLASTIC STACKS
	Main Tube	50x50xδ1.5mm
	Assembly Size	2100x1740x2030mm
	Carton Size	①1980x300x170mm ②1680x420x265mm ③1800x265x195mm ④400x200x185mm ⑤400x200x230mm
	N.W./G.W.	175/185kg
	20'/40'/40'HQ	70/150/170PCS

IRSH18C 4-STATION MULTIGYM ▼

	Weight Stack	150LBSX2 PLASTIC STACKS
	Main Tube	50x50xδ2mm
	Assembly Size	2420x2430x2100mm
	Carton Size	①815x520x380mm②210x520x205mm ③400x200x185mm④1830x810x135mm ⑤1380x910x235mm⑥400x200x230mm
	N.W./G.W.	356.2/365kg
	Package	1pc/8ctn
	20'/40'/40'HQ	24/48/54PCS





IRSH19B
5-STATION MULTIGYM

	Weight Stack	150LBSX2 PLASTIC STACKS
	Main Tube	50x100xδ2mm 50x50mm
	Assembly Size	2140x2590x2110mm
	N.W./G.W.	263kg(N.W.)



IRHG1701 / MULTIGYM

	Main Tube	PT100x50xδ2.5mm
	Assembly Size	2070x1280x2100mm
	Carton Size 1#	2130x580x280mm
	Carton Size 2#	1250x1110x335mm
	Carton Size 3#	1930x240x170mm
	Carton Size 4#	270x120x140 (3组) mm
	Carton Size 5#	270x120x120mm
	Packing Method	Carton
	N.W. / G.W.	256KG/272KG
	Weight Stack Specification(W & Q)	4.5KGx19
	Weight Stack Size	254x101x25.4
	Total Weight Of Weight Stack	200磅 (LBS)
	20'/40'/40'HQ	30/65/72PCS

IRHG1701B

	Main Tube	PT100x50xδ2.5mm
	Assembly Size	2170x1570x1040m
	Carton Size	2230x890x225mm
	Packing Method	Carton
	N.W. / G.W.	81/87kg
	20'/40'/40'HQ	65/128/143PCS





	IRFB35D	IRFB127	IRFB5004	IRFB5004B
Main Tube	PT80x40xδ2.5	PT100x50xδ3	40x120x δ2mm	φ32x δ3mm
Assembly Size	930x1550x2160mm	470x460x2200mm	1470x160x2070mm	1130x500x200mm
Packing Size	2150x1150x480mm	①2200x420x220mm ②630x550x290mm ③310x110x140(3group)④310x110x120	①2130x1360x185mm ②785x310x85mm ③260x90x160mm ④260x90x110mm	1170x580x165mm
Packing Method	Carton	Carton	Carton	
N.W. / G.W.	291KG/351KG	136KG/142KG	①93/105kg ②32/36kg ③12.5/13.5kg ④7.5/8.5kg	8/10kg
Weight Stack Specification(W & Q)	4.5kgx38	4.5kgx19	50/100/110PCS	250/505/600PCS
Weight Stack Size	295x90x25.4	295x90x25.4		
Total Weight Of Weight Stack	200 LBS x2	200 LBS		
20'/40'/40'HQ	23/40/50PCS	85/175/190PCS		

IRHG1703

	Main Tube	PT100x50xδ2.5mm
	Assembly Size	2290x2080x2100mm
	Packing Size 1#	1200x780x445mm
	Packing Size 2#	920x590x285mm
	Packing Size 3#	1940x560x290mm
	Packing Size 4#	600x260x225mm
	Packing Size 5#	2105x550x305mm
	Packing Size 6#	1280x1190x315mm
	Packing Size 7#	600x260x225mm
	Packing Size 8#	240x130x140 (6组) mm
	Packing Size 9#	240x130x120 (2组) mm
	Packing Method	Carton
	N.W. / G.W.	485/525kg
	Weight Stack Specification(W & Q)	4.5kgx38
	Weight Stack Size	254x101x25.4mm
	Total Weight Of Weight Stack	200 LBS x2
	20' / 40' / 40' HQ	13/28/32PCS



IRFB527

	Main Tube	PT1200x50xδ2.5mm
	Assembly Size	2460x3590x2490mm
	Packing Size 1#	2150x1150x470mm
	Packing Size 2#	1430x580x470mm
	Packing Size 3#	240x130x140mm(6组)
	Packing Size 4#	240x130x120mm(2组)
	Packing Method	Carton
	N.W. / G.W.	410/440kg
	Weight Stack Specification(W & Q)	4.5kgx38
	Weight Stack Size	226x111x25.4mm
	Total Weight Of Weight Stack	200 LBS x2
	20' / 40' / 40' HQ	16/34/38PCS



IRHG5001 / MULTIGYM ▶

 Main Tube	100x50xδ3mm
 Assembly Size	1770x1080x2090mm
 Packing Size 1#	2000x630x330mm
 Packing Size 2#	1860x210x140mm
 Packing Size 3#	390x200x270mm
 Packing Size 4#	390x200x210mm
 N.W. / G.W.	200/215kg
 Weight Stack Specification(W&Q)	15 LBS x12 (塑选) 单组
 Total Weight Of Weight Stack	195 LBS



◀ IRHG5002 / 2-STATION MULTIGYM

 Main Tube	100x50xδ3mm
 Assembly Size	2020x2290x2090mm
 Packing Size 1#	2000x630x330mm
 Packing Size 2#	1860x210x140mm
 Packing Size 3#	2070x690x220mm
 Packing Size 4#	390x200x210mm
 N.W. / G.W.	255/275kg
 Weight Stack Specification(W&Q)	15 LBS x12 (塑选) 单组
 Total Weight Of Weight Stack	195 LBS





◀ IRHG5003 / 3-STATION MULTIGYM

	Main Tube	100x50xδ3mm
	Assembly Size	2230x3230x2090mm
	Packing Size 1#	2000x630x330mm
	Packing Size 2#	1860x210x140mm
	Packing Size 3#	2070x690x220mm
	Packing Size 4#	1980x490x210mm
	Packing Size 5#	390x200x270mm
	Packing Size 6#	390x200x210mm
	N.W. / G.W.	310/355kg
	Weight Stack Specification(W&Q)	15 LBS x12 (塑选) 单组
	Total Weight Of Weight Stack	195 LBS



◀ **IRHG5004 / 4-STATION MULTIGYM**

	Main Tube	100x50xδ3mm
	Assembly Size	2940x3230x2090mm
	Packing Size 1#	2000x630x330mm
	Packing Size 2#	1860x210x140mm
	Packing Size 3#	2070x690x220mm
	Packing Size 4#	1980x490x210mm
	Packing Size 5#	2130x630x190mm
	Packing Size 6#	390x200x270mm(2组)
	Packing Size 7#	390x200x210mm(2组)
	N.W. / G.W.	470/498kg
	Weight Stack Specification(W&Q)	15 LBS x12+15 LBS x12双组
	Total Weight Of Weight Stack	195 LBS +195 LBS



IRHG1505S / 5-STATION MULTIGYM

	Main Tube	PT100x50xδ2.5mm
	Assembly Size	4230x2900x2260mm
	Packing Size 1#	2030x720x660mm(carton)
	Packing Size 2#	1970x480x270mm(carton)
	Packing Size 3#	2000x810x320mm(carton)
	Packing Size 4#	1510x930x290mm(carton)
	Packing Size 5#	970x840x620mm(carton)
	Packing Size 6#	2150x720x300mm(carton)
	Packing Size 7#	1170x1080x290mm(carton)
	Packing Size 8#	2230x870x30mm(carton)
	Packing Size 9#	660x660x50mm(Wooden)
	N.W. / G.W.	940/1000kg
	Weight Stack Specification(W&Q)	4.5KGx95
	Weight Stack Size	254x101x25.4mm
	Total Weight Of Weight Stack	200 LBS x5

FUNCTIONAL TRAINING STATION



IRCOM-001



IRCOM-002



IRCOM-003



IRCOM-004



IRCOM-005



IRCOM-006



IRCOM-007



IRCOM-008



IRCOM-009



IRCOM-010



IRCOM-011



IRCOM-012



IRCOM-013



IRCOM-014



IRCOM-015



IRCOM-016



IRCOM-017



IRCOM-018



IRCOM-019



IRCOM-020



IRCOM-021



IRCOM-022



IRCOM-023



IRCOM-024



IRCOM-025



IRCOM-026



IRCOM-027



IRCOM-028



IRCOM-029



IRCOM-030



IRCOM-031



IRCOM-032



IRCOM-033



IRCOM-034



IRCOM-035



IRCOM-036



IRCOM-037



IRCOM-038



IRCOM-039



IRCOM-040



IRCOM-041



IRCOM-042



IRCOM-043



IRCOM-044



IRCOM-045



IRCOM-046



IRCOM-047



IRCOM-048

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	
	Россия +7(495)268-04-70	Казахстан +7(7172)727-132	Киргизия +996(312)96-26-47	

<https://ironmaster.nt-rt.ru/> || iem@nt-rt.ru